

Personal Safety

product **3M** **FOCUS**



MALLORY
Safety and Supply
READY TO WORK

RESPIRATORY PROTECTION

3M™ Versaflo™ S-Series Hoods and Headcovers for Powered and Supplied Air Respirators

All-Day Comfort

- Wide faceseals with soft elastic for improved comfort and reduced air flow noise
- Premium reusable suspension allows wearers to modify the airflow distribution inside the hood to suit personal comfort needs

Excellent Airflow

- When used with an approved 3M™ Supplied Air Regulator, the compressed air can be made cooler or warmer by up to 50°F (28°C) for additional comfort

High Performance-APF

- Assigned Protection Factor (APF) of 1000—the highest level allowed under the Occupational Safety and Health Administration (OSHA) Respiratory Protection Standard (29 CFR 1910.134) for this class of respirator

Fast Assembly

- Simply push the QRS end of the breathing tube into the air inlet of the headgear until it snaps into place
- Breathing tube can be quickly removed with only one hand by squeezing the breathing tube clips

Improved Visibility

- S-Series visors have an excellent field of view with reduced curvature for decreased reflections and glare. Their new design, plus their protective shipping cartons, minimize the potential for visor creasing and visual distortion.



3M™ Versaflo™ Headcover S-133

Head and face coverage. Integrated Comfort suspension. General purpose fabric.



3M™ Versaflo™ Economy Hood S-403

Head, face, neck, and shoulder coverage. Fabric suspension, inner shroud.

3MCOM-S433L5	Versaflo™ Hood w/Integrated Head Suspension, S-433L-5, M-L, 5/ca	55.61 EA
3MCOM-S950	Premium Head Suspension for S-600, S-700, and S-800 Hood Assemblies	82.09 EA
3MCOM-S60510	Replacement Hood w/Inner Collar for use w/Premium Hood Suspension	33.58 EA
3MCOM-S133L5	Headcover with Integrated Head Suspension, White, M-L, 5/ca	277.89 CA
3MCOM-S403L20	Economy Hood, Large Head Suspension, White, M-L, 20/ca	35.88 EA
3MCOM-S70710	Versaflo™ Replacement Painter's Hood w/ Inner Shroud, 10/ca	382.73 CA
3MCOM-S855	Hood Assembly with Sealed Seams Inner Collar and Premium Head Suspension, 1/ea	170.64 EA
3MCOM-S655	Versaflo™ Hood Assembly with Inner Collar and Premium Head Suspension, 1/ea	93.79 EA
3MCOM-S8055	Versaflo™ Replacement Hood with Sealed Seams and Inner Collar, 1/ea	130.11 EA
3MCOM-S92350	Peel-off Visor Cover, 50/ca	1010.29 CA

3M™ Versaflo™ Respirator Protection Headgear for Powered and Supplied Air Respirators

- A built-in air deflector allows users to direct the location of the airflow inside the headgear for increased control and comfort.
- Easily adjusted for the comfort of each individual user. The smooth ratchet mechanism allows for precise tightening control.
- Lightweight with excellent balance. Six-point textile straps (four-point straps for 3M™ Versaflo™ M-100 Faceshield) for optimal fit and weight distribution.
- Easily removable parts allow simple cleaning, maintenance and replacement.
- Molded visor design combines excellent peripheral and downward vision with good optical clarity. Coated visor option provides added chemical and scratch resistance.

M-SERIES M-100 Series Faceshield

- Provides respiratory (OSHA APF 25) and limited eye (ANSI Z87.1-2010) protection
- Optional accessory (M-170 Faceshield Inserts) provides head coverage from dirt and debris, as well as minimal protection from contact with stationary objects ("bump" protection)

3MCOM-M935	Replacement Standard Faceseal	18.73 EA
3MCOM-M936	Comfort Faceseal	21.88 EA

M-SERIES M-200 Series Faceshield Assembly

- Helps provide respiratory (OSHA APF 25) protection, plus limited eye (ANSI Z87.1-2010) protection
- Weighs approximately 1.4 lbs (weight is complete assembly)
- Lightweight for excellent comfort
- Common for most powder handling, paint spraying, grinding, buffing and general maintenance applications where an approved level of head protection is not required

3MCOM-M206	Faceshield Assembly with Comfort Faceseal	279.97 EA
3MCOM-M935	Replacement Standard Faceseal	18.73 EA
3MCOM-M936	Comfort Faceseal	21.88 EA



3M™ Versaflo™ Respirator Protection Headgear (con't) for Powered and Supplied Air Respirators

M-SERIES M-300 Series Hard Hats

- Provides respiratory (OSHA APF 25) plus limited head (ANSI Z89 .1-2009 Type 1 Class G) and eye (ANSI Z87.1-2010) protection
- 6-point textile suspension offers maximum comfort

3MCOM-M305	Hard Hat Assembly with Standard Visor and Faceseal	481.25	CA
3MCOM-M307	Hard Hat with Premium Visor and Flame-Resistant Faceseal	496.35	CA
3MCOM-M935	Replacement Standard Faceseal	18.73	EA
3MCOM-M350	Replacement Head Suspension	77.34	CA
3MCOM-M936	Comfort Faceseal	21.88	EA



M305

M-SERIES M-400 Series Helmets

- Provides respiratory (OSHA APF 1000) protection, plus limited head (ANSI Z89.1-2009 Type 1 Class G) and eye (ANSI Z87.1-2010) protection
- Strap textile suspension offers maximum comfort
- Four different shroud materials available

3MCOM-M405	Helmet with Standard Visor and Shroud	595.82	CA
3MCOM-M407	Helmet with Premium Visor and Flame-Resistant Shroud	799.67	EA
3MCOM-M975N	Versaflo™ Radiant Heat Cover for M-407	555.21	EA
3MCOM-M444	Versaflo™ Inner Collar for M-Series Outer Shrouds	45.77	CA
3MCOM-M447	Versaflo™ M-Series Flame Resistant Outer Shroud	187.17	CA
3MCOM-M925	Standard Polycarbonate Visor for M-Series	22.87	EA
3MCOM-M926	Versaflo™ Peel-Off Visor Covers for M-925	14.66	PK
3MCOM-M957	Comfort Sweat Pads for M-Series Headgear, L-Series Headgear,	5.88	EA
	H-Series Hood and Whitecap Helmets		
3MCOM-M350	Replacement Head Suspension	77.34	CA
3MCOM-M927	Versaflo™ Premium Visor (for use with all M-Series products)	39.98	EA
3MCOM-M928	Versaflo™ Peel-Off Visor Covers (for use with M927)	2.01	EA
3MCOM-M967N	Versaflo™ Gold Coated Tinted Over-Visor with UV/IR Protection, 1/ca	258.05	CA



M400

3M™ Versaflo™ M-Series Leather Shroud

- NIOSH approved when used as part of a complete system
- Compatible with certain 3M™ Versaflo(TM) M-Series Headtops

3MCOM-M449	Versaflo™ M-Series Leather Shroud, 1/ca	0.00	CA
------------	---	------	----



M449

3M™ Versaflo™ M-Series Standard Outer Shroud

- An economical, easily replaced outer shroud for 3M™ Versaflo™ M-400 helmets
- M-444 Inner Shroud (sold separately) must be zipped into the outer shroud

3MCOM-M445	Versaflo™ M-Series Standard Outer Shroud	50.79	PK
------------	--	-------	----



M445



3M™ Versaflo™ PAPR TR-800 Series

- Intrinsically Safe (IS) (protection-rated at Division 1 for Classes I, II, and III under the most current UL standard (UL 60079, 6th Edition, 2013))
- More options for more tasks – Choose from particulate filters or gas and vapor combination cartridges for protection in a variety of environments

3MCOM-TR813N	Versaflo™ PAPR Heavy Duty Assembly, 1/ca	1828.82 EA
3MCOM-TR814N	Versaflo™ PAPR Easy Clean Assembly.....	1809.53 EA
3MCOM-TR802N	Versaflo™ PAPR Unit, Intrinsically Safe.....	858.44 EA
3MCOM-TR642N	Versaflo™ Single Station Battery Charger Kit, 1/ca	289.06 EA
3MCOM-TR830	Versaflo™ Battery, Intrinsically Safe for TR-800 PAPR	900.44 CA

3M™ Versaflo™ TR-800 Kits

- Rated at Division I for Classes I, II, and III under the most current UL standard (UL 60079, 6th Edition, 2013)
- Utilize cartridges to help protect against certain gas and vapors, combined with filters for protection against particulates
- Rugged, durable faceshield with premium visor helps protect against sparks and debris
- Heavy-duty belt designed with airflow channels, multiple size adjustments and belt extender options
- Intuitive, colored touchpoints plus visual and audible low flow indicators help make the TR-800 easy to use
- Multi-speed blower functions up to 16,000 feet and battery offers long run time, less charge time and, ultimately, reduced down time

TR-800 Painter's Kit includes

3MCOM-M206	Respiratory Faceshield Assembly	3MCOM-TR830	Intrinsically Safe Battery
3MCOM-BT20L	Breathing Tube	3MCOM-TR838	Battery Attachment Tool
3MCOM-TR6510N	(OV/HE) Cartridge	3MCOM-TR627	Easy Clean Belt
3MCOM-TR642N	Single Station Battery Charger	3MCOM-TR6500	Filter Cover
3MCOM-BT922	Breathing Tube Cover	3MCOM-TR971	Airflow Indicator
3MCOM-TR802N	Intrinsically Safe PAPR Unit	3MCOM-TR653	Storage and Cleaning Kit
3MCOM-TR800PSK	Versaflo™ PAPR Assembly Painters Kit		2467.61 EA



TR-800 Easy Clean Kit includes

3MCOM-S433L	Hood w/ Integrated Head Suspension	3MCOM-TR838	Battery Attachment Tool
3MCOM-BT30	Length Adjusting Breathing Tube	3MCOM-TR627	Easy Clean Belt
3MCOM-TR6710N	(HE) Filter	3MCOM-TR6700	Filter Cover
3MCOM-TR642N	Single Station Battery Charger	3MCOM-TR6600	Prefilter (X2)
3MCOM-BT922	Breathing Tube Cover	3MCOM-TR662	Spark Arrestor (X2)
3MCOM-TR802N	Intrinsically Safe PAPR Unit	3MCOM-TR653	Storage and Cleaning Kit
3MCOM-TR830	Intrinsically Safe Battery	3MCOM-TR971	Airflow Indicator
3MCOM-TR800ECK	Versaflo™ PAPR Easy Clean Kit		2422.44 EA

TR-800 Heavy Industry Kit includes

3MCOM-M307	Respiratory Hard Hat Assembly w/ Premium Visor and Faceseal	3MCOM-TR6500	Filter Cover
3MCOM-TR802N	Intrinsically Safe PAPR Unit	3MCOM-TR642N	Single Station Battery Charger Kit
3MCOM-TR830	Intrinsically Safe Battery	3MCOM-TR971	Airflow Indicator
3MCOM-TR838	Battery Attachment Tool	3MCOM-BT926	High Temperature Breathing Tube Cover
3MCOM-BT30	Length Adjusting Breathing Tube	3MCOM-TR6600	Prefilter (X2)
3MCOM-TR626	High Durability Belt	3MCOM-TR662	Spark Arrestor (X2)
3MCOM-TR6530N	OV/AG/HE Cartridge	3MCOM-TR653	Storage and Cleaning Kit
3MCOM-TR800HIK	Versaflo™ PAPR Heavy Industry Kit		3477.32 EA



3M™ Versaflo™ TR-600 Series PAPR

- A lithium-ion battery, adjustable airflow options, and an expanded range of NIOSH approved filters and cartridges help protect against hazards like particulates, organic vapors and acid gases
- User-friendly design with intuitive, colored interactive touch points and visual, vibratory and audible low-flow indicators
- Compatible with multiple configurations of headtops, breathing tubes, batteries, filters, cartridges and more
- Multiple airflow rate options for user comfort
- Ergonomically designed to fit close to the body and allow for greater movement in tight work spaces
- Multiple belt size adjustments and extenders for proper fit and comfort
- Belt designed with flexible air channels to help minimize heat build-up and provide wide, comfortable support
- Battery lasts up to eight hours for long run time, less charging time and reduced downtime
- Low-charge warnings, including vibratory, audible and visual alarms
- PAPR alarm provides approximately 15 minutes of warning prior to automatic low-power shutdown



3MCOM-TR602N	Versaflo™ PAPR Unit, 1/ca	.603.83 EA
3MCOM-TR613N	Versaflo™ PAPR Assembly, Standard Battery	.1249.10 EA
3MCOM-TR614N	Versaflo™ PAPR Assembly, Standard Battery, Easy Clean Belt	.985.20 EA
3MCOM-TR616N	Versaflo™ PAPR Assembly, Hi Capacity Battery	.1478.59 EA
3MCOM-TR617N	Versaflo™ PAPR Assembly, Hi Capacity Battery, Easy Clean Belt	.1355.33 EA
3MCOM-TR6600	Versaflo™ Prefilter, 50/ca	.6.22 EA
3MCOM-TR6350N	Versaflo™ Formaldehyde/HEPA Cartridge, 5/ca	.137.83 EA
3MCOM-TR6360N	Versaflo™ Ammonia/Methylamine/HE Cartridge, 5/ca	.735.15 CA
3MCOM-TR6510N	Versaflo™ Organic Vapor/HE Cartridge, 5/ca	.572.78 CA
3MCOM-TR6530N	Versaflo™ Organic Vapor/Acid Gas/HE Cartridge, 5/ca	.123.07 EA
3MCOM-TR6590N	Versaflo™ Multi-Gas/HE Cartridge, 5/ca	.174.61 EA
3MCOM-TR6710N5	Versaflo™ High Efficiency Filter, 5/ca	.51.91 EA
3MCOM-TR630	Versaflo™ Standard Battery	.340.11 EA
3MCOM-TR632	High Capacity Batteries	.447.52 EA
3MCOM-TR642N	Versaflo™ Single Station Battery Charger Kit, 1/ca	.289.06 EA



TR6350N



TR6600

3M™ Versaflo™ TR-600 Heavy Industry PAPR Kit

- This ready-to-use kit provides a simple way to purchase a complete PAPR system for use in rugged environments such as industrial, demolition, grinding, metal finishing and casting operations

The kit includes:

TM307 headtop (Hard Hat Assembly),
 TR616 PAPR Assembly (includes TR602N motor/blower, BT30 Length Adjusting Breathing Tube, TR626 High Durability Belt, TR632 High Capacity Battery, and TR971 Airflow Indicator),
 TR6530N (HE/OV/AG/HF) Filter/Cartridge and
 TR6300FC Filter Cover, TR641 Single Station Battery Charger, and BT926 High Temperature Breathing Tube Cover



TR600HIK

3MCOM-TR600HIK	3M™ Versaflo™ Heavy Industry PAPR Kit	.2505.81 EA
----------------	---	-------------

RESPIRATORY PROTECTION

Versaflo™ PAPR TR-300N+ Series

- Two selectable flow rate options – 6.5 CFM and 7.2 CFM
- Connect quickly – Our innovative Quick Release Swivel (QRS) connects quickly and helps avoid kinks in the breathing tube
- Easy-to-use and versatile PAPR
- High Efficiency particulate filter
- For particulate environments

3MCOM-TR300N+HIK	Versaflo™ Heavy Industry PAPR Kit, 1ea/cs	1796.65 CA
3MCOM-TR300N+HKL	Versaflo™ Healthcare PAPR Kit, M/L, 1ea/cs	1286.18 CA
3MCOM-TR304N+	Versaflo™ PAPR Assembly, with Easy Clean Belt and High Capacity Battery, 1/ca	.864.95 EA

**3M™ Versaflo™ TR-300 Series PAPR Assembly with Easy Clean Belt and High Capacity Battery**

- Light weight, easy-to-use PAPR for protection against particulates and certain nuisance odors
- Includes an easy clean belt, high capacity battery, HE filter, and single-station charge
- Belt mounted

3MCOM-TR332	High Capacity Battery for Versaflo™ TR-300 PAPR	346.14 EA
3MCOM-TR3712N5	HEPA Filter for Versaflo™ TR-300 PAPR, 5/ca	51.06 EA
3MCOM-TR325	Standard Belt, 5/ca	31.86 EA

**3M™ Breathe Easy Hood PAPR System, with Lithium Battery**

- NIOSH-approved PAPR system helps provide respiratory protection from certain airborne contaminants
- Loose-fitting, butyl rubber hood provides respiratory protection without the need for fit testing
- Kits include a hood, motor blower, breathing tube, battery, airflow indicator, belt, and cartridge; some kits may have additional components
- Headgear used as part of certain PAPRs can accommodate workers with limited facial hair and prescription eyewear

3MCOM-RBEL10	Breathe Easy Hood PAPR System, with Lithium Battery	1941.62 EA
3MCOM-RBE57	Canister RBE-57, 6/ca	479.60 CA
3MCOM-RBE600	Breathe Easy™ Battery Adapter Upgrade Kit, 1 ea/ca	845.64 EA



4500101R20

3M™ Powerflow™ Face-Mounted PAPR

- Delivers a minimum of 4 cfm when used with the filter
- It uses the popular 6000 Series facepiece and its faceshield meets impact and penetration requirements of ANSI Z87.1-2003
- The complete system includes the medium or large full facepiece, 6800DIN, motor blower unit, battery pack, and flow meter
- Approved for use with high efficiency particulate filter only
- Certain PAPR systems provide a higher level of respiratory protection than non-powered air filtering respirators
- Constant flow of air can provide cooling for the worker, resulting in greater comfort for the wearer
- Battery-powered blower pulls the air through the filter resulting in no additional breathing resistance to the wearer
- Eight-hour battery
- Lightweight and well-balanced
- Ideal for lead, asbestos and other hazardous particulates

3MCOM-6800PF	Powerflow™ PAPR w/Charger, Medium	533.32 EA
3MCOM-6900PF	Powerflow™ PAPR w/Charger, Large	533.32 EA
3MCOM-0240002R01	Powerflow™ Motor/Airflow Unit	354.06 EA
3MCOM-4500101R20	Powerflow™ SP3 PAPR High Efficiency (HE) Filter, 20/ca	11.70 EA

3M™ Versaflo™ Easy Clean Backpack

- Designed with a smooth surface to be easily cleanable
- Versatile adjustability for comfortable and stable fit
- The smooth surface may help save time cleaning
- Washable in a solution of soap and water
- Designed to minimize contact with the back to help with ventilation
- Comfortable and designed to be perceived as balanced when carried
- Compatible with TR-300+, TR-600 and TR-800 PAPRs
- When used with the TR-300+ PAPR system is IP53 rated and when used with the TR-600/800 PAPRs it is IP54 rated

3MCOM-TR927 Versaflo™ Easy Clean Backpack, 1/ca 154.06 EA



3M™ Versaflo™ Respiratory Systems Carry Bag

- Ideal for convenient storing and transporting your complete 3M™ Versaflo™ Powered and Supplied Air System
- Conveniently fits your complete Powered and Supplied Air System, including the motor blower, filter/cartridge, battery, charger, breathing tube and head gear.

3MCOM-TR991 Versaflo™ Respiratory Systems Carry Bag107.60 EA



3M™ Versaflo™ Heavy Duty Neoprene Rubber Breathing Tube

- Connects any Versaflo™ Headtop to any Versaflo™ air source
- Heat-resistant neoprene rubber material for rugged applications

3MCOM-BT40 Versaflo™ Heavy Duty Neoprene Rubber Breathing Tube242.10 EA



3M™ Breathing Tubes for 3M™ Versaflo™

- Connects any Versaflo™ Headtop to any Versaflo™ air source

3MCOM-BT30 Breathing Tube77.09 CA



3M™ Versaflo™ PAPR Cover

- For use with the 3M™ Versaflo™ TR-600/TR-800 PAPR

3MCOM-TR681
PAPR Cover, 10/car 235.28 CA



3M™ Versaflo™ High Durability Belt

- Comfortable due to ergonomic design for use with the 3M™ Versaflo™ TR-600/TR-800 PAPR

3MCOM-TR325
Standard Belt31.86 EA



3M™ Versaflo™ 4-Station Battery Charger Kit

- Easy-to-use; charges up to 4 batteries
- Quickly charges TR-630 and TR-632 batteries, and hold charged batteries ready for use

3MCOM-TR644N
4-Station Battery Charger1075.63 EA

RESPIRATORY PROTECTION



W9445100

3M™ Supplied Air Hose**3MCOM-W9445100**100 ft, 3/8" diameter, Schrader Fittings, **502.33 EA**
High Pressure, 1/ca**3MCOM-W9435100**100 ft, 3/8" diameter, Industrial Interchange Fittings, **414.22 EA**
High Pressure, 1/ca

V100



V100SR

3M™ Versaflo™ Supplied Air Cooling Valve Assembly

- Low maintenance - no filters, cartridges, or batteries to maintain
- Certain 3M supplied air valves can cool or heat air by up to 50°F (28°C)
- Can operate on pressures ranging from 6-91 psig, depending on valve and hose length
- All V-Series Supplied Air Valves require an approved 3M supplied air hose, breathing tube and headgear to complete the NIOSH-approved respirator system

3MCOM-V100 Versaflo™ V-100, No Fitting, 1/ca **511.50 CA****3MCOM-V100SR** Versaflo™ V-100SR, Schrader Fitting, 1/ca .. **557.99 CA****3M™ Adflo™ Turbo Assembly Without Belt and Breathing Tube**

- Can protect you against particles and gases, all in one system, depending on filter used
- Nominal protection Factor up to 500 (TH3) in combination with Speedglas welding helmets
- Connects directly with any Speedglas Series respiratory welding helmet
- Gas filters sold as separate accessories (837242 or 837542)

3MCOM-35149901 Adflo™ Turbo Assembly w/o Belt and Breathing Tube, 1/ca **1129.42 EA**

35149901

3M™ Adflo™ Blower Unit with Cover

- Comfortable due to ergonomic design
- Easy to use
- Durable construction

3MCOM-35109901 Adflo™ Blower Unit with Cover, 1/ca. **502.10 CA**

35109901

3M™ Adflo™ Replacement Cartridges**3MCOM-15029999X80** Replacement Cartridge PAPR High Efficiency Particulate Filter, **58.23 EA**
2 ea/pk, 8 pk/ca**3MCOM-15049999X06** Replacement Cartridge, Organic Vapor/Acid **95.37 EA**
Gas(OV/SD/CL/HC), 2 ea/pk, 6/ca**3MCOM-15049999X02** Replacement Cartridge, Organic Vapor/Acid Gas(OV/SD/CL/HC), . **190.23 CA**
2 ea/ca

15029999X80



15049999X06



35109907

3M™ Adflo™ Air Purifying Respirator Battery, Lithium Ion

- Replacement lithium ion battery for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR)
- Approximately 50% lighter than the Adflo NiMH battery
- Charges to 80% capacity in approximately 3 hours; 100% capacity in approximately 6.5 hours

3MCOM-35109907 Lithium Ion Respirator Battery **514.28 EA**

38110130ISW



3M™ Adflo™ PAPR and Versaflo™ M-Series Helmet Kit

- New, more durable leather shroud
- 10% weight reduction from L-905SG
- Protection from welding arc (ANSI Z87) plus spark and splatter
- Larger viewing area compared to L-905SG
- Able to lift visors in non-hazardous areas to help facilitate communications
- Head top can be used for most applications including arc gouging, plasma cutting, grinding, MIG, TIG, and GMAW welding.
- When used in conjunction with NIOSH approved air source, is designed to help protect the user from certain airborne contaminants, and certain head, eye, face, and welding hazards
- Improved optics in the 3M™ Speedglas™ Welding Filter 9100XXi provide more contrast and natural-looking color

3MCOM-38110130ISW Adflo™ PAPR and Versaflo™ M-Series Helmet Kit2748.03 EA



35109907

3M™ Adflo™ Air Purifying Respirator Battery, Lithium Ion

- Replacement lithium ion battery for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR)
- Approximately 50% lighter than the Adflo NiMh battery
- Charges to 80% capacity in approximately 3 hours; 100% capacity in approximately 6.5 hours

3MCOM-35109907 Lithium Ion Respirator Battery514.28 EA



8210

3M™ Particulate Respirators 8210, N95

- Designed for use for particles such as those from grinding, sanding, sweeping, sawing, bagging, or other dusty operations
- Helps reduce inhalation exposures to certain airborne biological particles (examples: mold, Bacillus anthracis, Mycobacterium tuberculosis), but cannot eliminate the risk of contracting infection, illness, or disease
- Compatible with a variety of protective eyewear and hearing protection
- This particulate respirator is NIOSH (National Institute for Occupational Safety and Health) approved for environments containing certain non-oil based particles and provides at least 95% filter efficiency

3MCOM-8210 Particulate Respirator, N95, 20 ea/bx23.19 BX

3MCOM-8210V Particulate Valved Respirator, N95, 10 ea/bx18.33 BX



8210V

3M™ Particulate Respirator 8511, N95

- Disposable particulate respirator that is designed to help provide reliable respiratory protection of at least 95% filtration efficiency against certain non-oil based particles
- Designed for use for particles such as those from grinding, sanding, sweeping, sawing, bagging, or other dusty operations
- Helps reduce inhalation exposures to certain airborne biological particles (examples: mold, Bacillus anthracis, Mycobacterium tuberculosis), but cannot eliminate the risk of contracting infection, illness, or disease
- Soft inner material provides added comfort while the cup shape design makes the respirator spacious and durable
- Braided headbands and an adjustable M-noseclip are designed to help enhance user comfort and increase wearability
- The proprietary 3M Cool Flow valve releases hot, humid exhaled breath quickly, helping to prevent an unpleasant build up of heat inside the facepiece - a significant cause of discomfort to respirator wearers. Ideally suited for work situations involving heat, humidity, or long periods of wear

3MCOM-8511 Particulate Respirator, N95, 10 ea/bx29.43 BX



8511

RESPIRATORY PROTECTION



8233

3M™ Particulate Respirator 8233, N100

- Disposable particulate respirator designed to help provide reliable respiratory protection of at least 99.97% filtration efficiency against certain non-oil based particles
- Soft inner material provides added comfort while the cup shape design makes the respirator spacious and durable
- Adjustable noseclip reduces potential for eyewear fogging
- Fully adjustable head straps help provide a secure seal
- The respirator incorporates 3M's proprietary technology with advanced electrostatically charged microfiber filter media designed for ease of breathing
- Compatible with a variety of protective eyewear and hearing protection
- Fitted with a 3M Cool Flow™ Exhalation Valve, this respirator is ideally suited for work situations involving heat, humidity, or long periods of wear

3MCOM-8233 Particulate Respirator, N100, 20 ea/cs276.61 CA

3M™ Particulate Respirators 8212 and 8512, N95

- Designed to help provide respiratory protection for certain non-oil particles in applications such as welding, soldering and other operations in which metal fumes may be present
- Specially designed cake-resistant filter media provides longer respirator life
- 3M™ Cool Flow™ Exhalation Valve, incorporating proprietary technology, reduces heat build-up inside the respirator to help keep the wearer more comfortable
- Comfortable foam face seal
- Flame resistant as demonstrated per modified ASTM D2859 (not a substitute for a faceshield)
- Compatible with a variety of protective eyewear and hearing protection
- Adjustable noseclip reduces potential for eyewear fogging and helps ensure a better seal and fit
- Fully adjustable headstraps help provide a secure fit



8212

3MCOM-8212 Particulate Respirator, N95, 10 ea/bx74.16 BX



8515

3M™ Particulate Welding Respirator 8515, N95

- Provides comfortable worker protection for applications such as welding, soldering, and sanding
- Patented 3M™ Cool Flow™ Exhalation Valve is a one-way valve for easy exhalation and cooler comfort
- M-noseclip adjusts easily for fewer pressure points, reduces potential for eyewear fogging, and helps provide a custom and secure seal
- 3M™ Welding Web: flame resistant as demonstrated per modified ASTM D2859-96 (not a substitute for a faceshield)
- Lightweight all filter design
- Braided headbands

3MCOM-8515 Particulate Welding Respirator, N95, 10 ea/bx, 8 bx/ca365.47 CA

3M™ Particulate Respirator 8247, R95 with Nuisance Level Organic Vapor Relief

- Lightweight, disposable respirator is constructed with carbon filter material for applications such as foundry operations, lab settings, agriculture, petrochemical manufacturing and undercoating where particles and nuisance levels of organic vapors may be present
- Adjustable noseclip and soft nose foam helps provide a custom fit with secure seal and reduces potential for eyewear fogging
- Compatible with a variety of protective eyewear and hearing protection
- Two-strap design with dual point attachment helps provide a secure fit

3MCOM-8247 Particulate Respirator, R95, 20 ea/bx84.80 BX



8247

3M™ Particulate Respirator 8577, P95 with Nuisance Level Organic Vapor Relief

- Designed to help provide reliable respiratory protection of at least 95% filtration efficiency against certain oil and non-oil based particles
- Carbon layer reduces exposure to nuisance levels of organic vapors such as solvents, degreasers, and resins
- Foam face seal and soft inner material provide added comfort while the cup shape design makes the respirator spacious and durable
- Braided headbands and an adjustable M-noseclip are designed to help enhance user comfort and increase wearability
- Compatible with a variety of protective eyewear and hearing protection
- The proprietary 3M Cool Flow™ valve is designed to release hot, humid exhaled breath quickly, helping to prevent an unpleasant build up of heat inside the facepiece – a significant cause of discomfort to respirator wearers



8577

3MCOM-8577 Particulate Respirator, P95, 10 ea/bx56.18 BX

3M™ Particulate Respirator 8576, P95 AG with Nuisance Level Acid Gas Relief

- P95 respirator is designed to help provide reliable respiratory protection of at least 95% filtration efficiency against certain oil and non-oil based particles
- Carbon filter material helps provide relief against nuisance levels of acid gases
- Soft inner material provides added comfort while the cup shape design helps make the respirator feel spacious and durable
- An adjustable M-noseclip reduces potential for eyewear fogging and helps in obtaining a secure seal
- Braided headbands are designed to help enhance comfort and increase wearability
- The proprietary 3M Cool Flow valve is designed to release hot, humid exhaled breath quickly, helping to prevent an unpleasant build up of heat inside the facepiece – a significant cause of discomfort to respirator wearers
- Note: This respirator is not intended to act as a faceshield or to give benefits beyond helping to improve respiratory protection



8576

3MCOM-8576 Particulate Respirator, P95/AG, 10 ea/bx51.12 BX



1870+

3M™ AURA™ Health Care Particulate Respirator and Surgical Mask, Bulk

- NIOSH Approved: N95
- FDA cleared for use as a surgical mask
- Fluid resistant and disposable
- Flat-fold design and individual packaging

3MCOM-1870+ AURA™ Particulate Respirator and Surgical Mask, 240/ca387.06 CA



9205+BULK

3M™ AURA™ Particulate Respirator, N95

- NIOSH approved N95 rating
- Embossed top panel designed to help direct exhaled air away from the nose panel and help reduce the potential fogging of eyewear from warm, moist exhaled airflow
- Adjustable nose clip
- Nose foam
- 3-panel, flat-fold style
- Stapled headbands
- Individually packed
- 440 per case

3MCOM-9205+BULK AURA™ Particulate Respirator, N95554.19 CA



Full Face 6000

3M™ Full Facepiece 6000 Series, Reusable

- Large lens provides a wide field of view for excellent visibility
- Lightweight well-balanced design and silicone face seal for enhanced comfort, durability and ease of cleaning
- Center adapter directs exhaled breath downward
- 3M™ Cool Flow™ Valve makes breathing easier to provide cool, dry comfort
- NIOSH has tested and approved
- DIN version has a DIN thread for use with certain powered air purifying systems
- The facepiece works with these approved 3M™ filters and accessories: 2071, 2076HF, 2078, 2091/07000, 2096, 2097/07184, 2291, 2296, 2297, 7093, 7093C/37173, 603, 5N11, 5P71/07194, 501, and 502. It also works with the following 3M™ Cartridges 6000 Series: 6001, 6002, 6003, 6004, 6005, 6006, 6009, 60921, 60922, 60923, 60924, 60925, 60926, 60928, and 60929
- Meets the impact requirements of the ANSI Z87.1-2003 standard, high impact level for face and eye protection

3MCOM-6700	Full Facepiece, Small	187.64 EA
3MCOM-6800	Full Facepiece, Medium	187.64 EA
3MCOM-6900	Full Facepiece, Large	187.64 EA
Replacement Parts		
3MCOM-6885	Peel Away Lens Cover, 25 ea/pk, 4 pk/cs	59.42 PK
3MCOM-6897	Head Harness Assembly, 5 ea/case	210.53 CA

3M™ Half Facepiece 6000 Series, Reusable

- Helps provide protection against particulates and a wide variety of gases and vapors up to 10X the Permissible Exposure Limit (PEL) when used with approved cartridges and filters
- The swept back design of the cartridges helps improve balance and visibility
- Remarkably comfortable, soft, lightweight facepiece has easy-to-adjust head straps allows for a customized fit to the user
- Replaceable cartridges help reduce waste and costs over time
- Each respirator comes with a reusable storage bag
- NIOSH approved for negative-pressure air purifying and positive-pressure dual airline applications
- This half facepiece respirator may be used with 3M™ Cartridge 6000 Series; 3M™ Filters 2000, 2200, 7000 or 5000 Series; or 3M™ Dual Airline Systems
- Do not use for respiratory protection in contaminated area

Half Facepiece 6000 Series

3MCOM-6100		15.35 EA
3MCOM-6200		15.35 EA
3MCOM-6300		15.35 EA



Half Face 6000

3M™ Ultimate FX Full Facepiece FF-400 Series Reusable Respirator

- 3M's most rugged facepiece, providing Flexibility in X-treme environments while still delivering superior comfort and an exceptional field of view
- Ergonomic, streamlined design for lightweight, balanced comfort
- Comfort head cradle positions the respirator more comfortably on the head, reducing pressure points and hair pulling
- Soft, silicone nose cup and face seal
- 3M™ Cool Flow™ Valve for easier breathing and cool, dry comfort
- Large lens for excellent peripheral vision
- Low-profile bayonet cartridge attachments, designed for improved balance and better weight distribution
- Long-lasting head harness straps pulled over one million times in durability testing
- Six-strap configuration for a secure fit
- Paint and stain-resistant lens
- Respirator attachments twist on and off easily for quick assembly and disassembly
- Bonded silicone gaskets eliminates loose gaskets that can be lost

3MCOM-FF401	Ultimate FX Full Facepiece, Small	.237.14 EA
3MCOM-FF402	Ultimate FX Full Facepiece, Medium	.237.14 EA
3MCOM-FF403	Ultimate FX Full Facepiece, Large	.237.14 EA



FF-400

3M™ Stacked Lens Cover FF-400

- Includes seven removable lens cover layers to help protect the facepiece lens
- Each layer easily peels away by hand as outer layer becomes clouded with overspray, dirt and residue
- Minimizes prep time and lens cover replacement work stoppages

3MCOM-FF40018	Stacked Lens Cover Accessory for FF-400, 7 Layer, 20/ca	.568.70 CA
---------------	---	------------



FF40018



7800S

3M™ Full Facepiece Reusable Respirator, Silicone

- Recommended for use in multiple industries including construction, general manufacturing, heavy infrastructure, industrial maintenance, mining, oil and gas, welding, and more
- Meets the requirements of ANSI Z87.1-2003 standard for eye and face protection
- Silicone face seal helps provide comfort and durability, and is easy to clean
- Six-strap harness helps provide a secure comfortable fit
- Use with 3M™ Particle Filters 2000, 2200, 7000, or 5000 Series to help filter certain particulates
- Use with 3M 6000 Series Gas/Vapor Cartridges to help filter a broad range of gases and vapors
- Use with 3M 6000 Series Combination Cartridges to help filter particulates in addition to gases and vapors
- Compatible with 3M™ TR-600 and TR-800 powered air and Dual Airline supplied air systems against a variety of gases, vapors, and particulate hazards
- For workplace/occupational use only

3MCOM-7800S-SM	Full Facepiece Reusable Respirator, Small	.482.82 EA
3MCOM-7800S-MD	Full Facepiece Reusable Respirator, Medium	.482.82 EA
3MCOM-7800S-LG	Full Facepiece Reusable Respirator, Large	.482.82 EA

3M™ Half Facepieces 7500 Series

- Uses a 3M™ Cool Flow™ Exhalation Valve which has lower exhalation breathing resistance that helps make breathing easier and reduces heat and moisture buildup in the facepiece
- Soft seal helps reduce ring around the nose and provides a softer feel on the face
- Unique adjustment design creates less tension and pressure points on the face for improved comfort
- Dual-mode head harness adjusts easily so the wearer has the option of wearing the respirator in either traditional or drop-down mode
- Solid exhalation valve cover directs exhaled breath and moisture downward
- Comes with reclosable storage bag
- Three color coded sizes for easy identification

3MCOM-7501	Half Facepiece, Silicone, Small	.36.67 EA
3MCOM-7502	Half Facepiece, Silicone, Medium	.36.67 EA
3MCOM-7503	Half Facepiece, Silicone, Large	.36.67 EA



7503

RESPIRATORY PROTECTION

3M™ Full Facepiece Reusable Respirator

- Approved to NIOSH Chemical Biological Radiological Nuclear (CBRN) requirements in conjunction with the 3M™ Canister FR-15-CBRN
- This facepiece features an integral speaking diaphragm that improves voice amplification and clarity
- 6 adjustable straps

3MCOM-FR7800B-SM	Full Facepiece Reusable Respirator, Small, 1/ca	414.55 EA
3MCOM-FR7800B-MD	Full Facepiece Reusable Respirator, Medium, 1/ca	414.55 EA
3MCOM-FR7800B-LG	Full Facepiece Reusable Respirator, Large, 1/ca	414.55 EA

**FR7800B****3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator**

- Recommended industries include construction, general manufacturing, heavy infrastructure, industrial maintenance, mining, oil and gas, transportation, and more
- Use with 3M™ Particle Filters 2000, 2200, 7000, or 5000 Series to filter certain particulates
- Use with 3M 6000 Series Gas/Vapor Cartridges to help filter a broad range of gases and vapors
- Use with 3M 6000 Series Combination Cartridges to help filter particulates in addition to gases and vapors
- Compatible with 3M™ TR-600 and TR-800 powered air purifying respirators against a variety of gases, vapors, and particulate hazards
- Silicone face seal keeps its shape even in hot work conditions
- Low-profile half facepiece design is compatible with many welding and grinding shields
- For workplace/occupational use only

3MCOM-6501QL	Half Facepiece Reusable Respirator, Small, 10/ca	245.10 CA
3MCOM-6502QL	Half Facepiece Reusable Respirator, Medium, 10/ca	245.10 CA
3MCOM-6503QL	Half Facepiece Reusable Respirator, Large, 10/ca	245.10 CA

**6501QL****3M™ Combination Cartridges/P100 Particulate Filters 6000 Series**

- For respiratory protection from certain organic vapors and non-oil and oil particulate concentrations up to 10X the Permissible Exposure Limit (PEL) with half facepieces or 50X PEL with quantitatively fit tested full facepieces
- Swept-back design allows an enhanced field of view and comfort
- Works with 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet attachment holders
- NIOSH approved

3MCOM-60923	Organic Vapor/Acid Gas/P100, 2/pkg, 60/cs	30.27 PK
--------------------	---	-----------------

3MCOM-60926	Multi-Gas/Vapor/P100, 2/pkg, 60/cs	31.58 PK
--------------------	--	-----------------

3MCOM-60927	Mercury Vapor/OV/AG/P100, 2/pkg, 60/cs	42.12 PK
--------------------	--	-----------------

3MCOM-60928	Organic Vapor/Acid Gas/P100, 2/pkg, 60/cs	43.60 PK
<i>(3M recommended for radioiodine or methyl bromide)</i>		

**60928****60921i****3M™ Service Life Indicator Cartridges**

- This technology helps increase compliance with your company's respiratory policy and industry requirements
- The 3M Service Life Indicator can help provide added peace of mind as a complement to your current change-out schedule, and in some cases replace your current practices
- These cartridges are NIOSH approved against certain organic gases and vapors

3MCOM-60921	Organic Vapor/P100 Cartridge w/Service Life Indicator, 60/case	33.68 PR
--------------------	--	-----------------

**2091****2097****3M™ P100 Particulate Filter**

- NIOSH approved as being at least 99.97% efficient at removing solid and liquid particles including those containing oil
- Used largely for welding odor relief
- Activated carbon removes nuisance organic vapor/welding odors that are below the OSHA PEL
- Designed for use with 6000 Series, 6500 Series, 7000 Series or FF-400 Series facepieces

3MCOM-2091	Use with 5000 Series Respirator, 2/pk, 50 pks/ca	9.46 PK
-------------------	--	----------------

3MCOM-2097	with Nuisance Level Organic Vapor Relief, 2/bag, 50 bgs/cs	15.46 PR
-------------------	--	-----------------

3M™ Advanced Particulate Filter, P100 with Nuisance Level Organic Vapor Relief*

- Use with 3M™ Respirators 5000 Series or 3M™ Cartridge 6000 Series with 3M™ Adapter 502, or 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series with bayonet filter holders
- When properly fitted, use in a variety of applications including welding, brazing, torch cutting, metal pouring, soldering, and exposure to lead, asbestos, cadmium, arsenic, and MDA for concentrations up to 10X the Permissible Exposure Limit (PEL) with half facepieces or 50X PEL with full facepieces
- Full facepieces must be quantitatively fit tested to claim assigned protection factor above 10 in negative pressure mode
- Offers nuisance level relief from organic vapors that are below the PEL
- Do not use for respiratory protection against organic vapors or in environments that are immediately dangerous to life or health (IDLH)



3MCOM-2297 Particulate Filter, P100, 2/bag, 50 bgs/cs14.73 PR

2297

3M™ Cartridges

- Use with 3M™ 6000, 7000 and FF-400 Series with bayonet filter holders
- Swept-back design allows an enhanced field of view and comfort
- Bayonet compatibility allows use with many 3M™ half and full facepiece designs
- Wide range of applications reduces inventory needs
- NIOSH approved for use with 5N11 N95 and 5P71 P95 Prefilter and 501 Retainer; approved for use with 2091 P100 Filter and 502 Adapter



6001

3M™ Filters and Retainers For Use with Half Facepiece Respirators

3MCOM-6001 Organic Vapor Cartridge, 2/pkg16.18 PR

3MCOM-6003 Organic Vapor/Acid Gas Cartridge, 2/pkg17.70 PK

3MCOM-6006 Multi-Gas/Vapor Cartridge, 2/pkg17.55 PK

3MCOM-5P71 Particulate Filter, P95, 10/bx26.36 BX

3M™ Secure Click™ Multi-Gas/Vapor Cartridge

- Secure Click™ connection style enables a quick, simple connection of cartridges
- Secure Click™ cartridges are dual-flow to allow easy breathing and greater comfort
- Use with NIOSH-approved 3M™ Secure Click™ Facepieces
- NIOSH-approved for protection against certain organic vapors, sulfur dioxide, hydrogen chloride, chlorine/ammonia/methylamine/formaldehyde or chlorine dioxide or hydrogen fluoride or hydrogen sulfide
- Swept-back design for enhanced field of view and comfort
- For workplace/occupational use applications only



D8006

3MCOM-D8006 Secure Click™ Multi-Gas/Vapor Cartridge, 30 pr, 60 ea/ca. 575.25 CA

3M™ Secure Click™ Hard Case P100 Particulate Filter

- 99.97% filter efficiency meets NIOSH P100 test criteria
- Use with 3M™ Secure Click™ Respirators
- Hard case recommended for harsh environments with a need for easy decontamination and protection
- Hard case helps protect against sparks and high heat
- Filter case designed for certain spray applications
- Secure Click™ connection allows filters to be inserted into place for ease of assembly
- Solid top and channeled airflow help protect filter
- Swept-back design provides wide field of view



D9093B

3MCOM-D9093B Secure Click™ Hard Case P100 Particulate Filter9.97 PR

3M™ P100 Particulate Filter 7093 with Nuisance Level Acid Gas Relief

- The 3M™ Particulate Filter 7093, P100 helps provide respiratory protection against exposure to lead, asbestos, cadmium, arsenic, and MDA
- The filter is effective for concentrations up to 10X the Permissible Exposure Limit (PEL) with half facepieces or 50X PEL with quantitatively fit tested full facepieces when welding, brazing, torch cutting, metal pouring and soldering
- This P100 filter is designed to protect in higher-heat applications
- Innovative solid-top air-inlet reduces premature loading by allowing a channeled airflow
- The filter works with a wide range of facepieces, including 3M™ Half and Full Facepieces 6000, 7000 and FF-400 Series. If used with 3M™ Adapter 502, the filter may also be used with 3M™ Respirator 5000 Series or 3M™ Cartridge 6000 Series
- Passing NIOSH's P-series test criteria, the 7093 P100 filter provides at least 99.97% filter efficiency against particles



7093

3MCOM-7093B P100 Particulate Filter, 2 ea/pkg, 72 pkg/cs7.78 PR

RESPIRATORY/WELDING PROTECTION

3M™ Cartridge FR-64

- A single DIN threaded cartridge that has the capability to filter chemical warfare agents and is NIOSH-approval for many industrial chemicals and particulates.
- DIN cartridge connection type
- For use with the 3M™ Full Facepiece FR-M40, 6000 and 7800S

3MCOM-FR64 Cartridge FR-64, 4/ca 296.75 CA



FR64



504

3M™ 504 Respirator Cleaning Wipes

- Clean and refresh elastomeric facepiece respirators, eliminating dirt and perspiration
- For respirators worn by more than one person, these moist towelettes can be used between wearers for hygiene and sanitary protection
- Each disposable towelette is sealed in its own protective wrapper for maximum freshness and moistness
- Disposable, one-time-use for convenience and to prevent spread of germs
- The towelettes easily clean away lint and light dirt and contain no alcohol or harsh chemicals
- Alcohol-free towelettes contain no alcohol or harsh chemical
- Towelettes come 100 per box

3MCOM-504 Cleaning Wipes, Alcohol-Free, 100/dispenser box 54.10 BX



601

3M™ Fit Test Adapter

- Use to conduct quantitative fit testing on 3M facepieces with bayonet style cartridge/filter attachment or certain 3M™ Scott™ facepieces with 3M™ Scott™ AV-632 Bayonet Adapter
- 1 each per case
- Package contains adaptor, plastic tubing, suction cups, and a retainer clip

3MCOM-601 Fit Test Adapter, 1/ca 189.04 CA

3M™ Adflo™ PAPR HE System w/3M™ Speedglas™ Welding Helmet 9100 MP

- 3M™ Speedglas™ 9100 MP Welding Helmet with 3M™ Adflo™ Powered Air Purifying Respirator System
- Wide, clear visor plate
- Sold with options of 3M™ Speedglas™ 9100 Welding Filters
- Ergonomic, adjustable headband for good comfort, helmet stability, and weight distribution
- Recommended for construction, design & construction, heavy infrastructure, and industrial maintenance industries

3MCOM-37110130ISW Adflo PAPR HE System w/3M™ Speedglas™ Welding 2682.90 EA
Helmet 9100 MP, 1/ca

3MCOM-27009987 Speedglas™ Complete Neck Coverage, for 9100 MP 1/ca 250.09 EA



37110130ISW

27009987

3M™ Adflo™ PAPR HE System with 3M™ Speedglas™ Welding Helmet 9100-Air

- PAPR system offers the welder compact, lightweight respiratory protection and quality filter optics all-in-one
- Sensitivity of the arc detection can be adjusted
- Ergonomic, adjustable head suspension for increased comfort, helmet stability and weight distribution
- Improved optics allow color recognition more readily than other 3M helmets
- Grab and go with auto-on
- Audible and visual alarms signal low airflow and low battery charge

3MCOM-35110130ISW Adflo™ HE System w/Speedglas™ Welding Helmet 2408.43 EA



35110130ISW

3M™ Adflo™ Turbo Assembly, Lithium Ion Battery

- Can protect you against particles and gases, all in one system, depending on filter used
- Nominal protection Factor up to 500 (TH3) in combination with Speedglas welding helmets
- Connects directly with any Speedglas Series respiratory welding helmet

3MCOM-35540101 Adflo Turbo Assembly with Lithium Ion Battery, 1/ca1297.93 CA



35540101

3M™ Speedglas™ Heavy-Duty Back Pack

- Back Pack Harness optimized for welding environment
- Back Pack designed for holding 3M™ Adflo™ and 3M™ Versaflo™ PAPR's
- Designed for comfort
- Fits a wide variety of body sizes
- Made for heavy duty industries
- Flame retardant harness designed for Welding environment withstanding spatter and sparks
- Ventilated design against back
- Shoulder Harnesses adjustable position, length, width and a chest strap for extra tight fit well balanced on the back
- Designed to be perceived as balanced when carried
- Carry / Hang Handle when stored in a dry and clean area
- Attachment Plate Dimensions: 390mm x 220mm

3MCOM-BPKHD Speedglas™ Heavy-Duty Back Pack, 3/ca 138.01 EA



BPKHD



SG50W

3M™ Speedglas™ Sound-Dampening Breathing Tube

- Connects welding helmet to the powered air purifying respirator or supplied air unit
- Increase the service life of your equipment by checking it regularly

3MCOM-SG50W
Speedglas™ Sound-Dampening Breathing Tube, 1/ca 139.00 CA



SG15

3M™ Speedglas™ Breathing Tube Cover

3MCOM-SG15
Speedglas™ Breathing Tube Cover, 1/ca 108.94 EA

3M™ Ratchet Headgear with Crown Extender H10

- Choose from ratchet or pinlock headgear styles that are compatible with any 3M™ W-Series Faceshield
- Allows for quick window replacement

3MCOM-82516 Ratchet Headgear23.31 EA



82516

3M™ Polycarbonate Faceshield Window W96IRS, Shade 5.0

- Helps workers see clearly
- It is recommended that protective eyewear be worn under faceshields at all times
- Suggested for use in multiple industries, including automotive, transportation, construction, manufacturing, mining, facility sanitation, heavy infrastructure, oil and gas, pharmaceutical, and more

3MCOM-82706 Faceshield Window W96IRS, 10/ca267.26 CA



82706

WELDING/HEAD/EYE

3M™ Clear Polycarbonate Faceshield WP96, Molded

- Delivers minimal distortion across the entire filter viewing area
- Includes proven arc detection electronics
- Features grinding and cutting modes
- Selectable Shades 5, 8-13
- Helps reduce eye strain

3MCOM-82701 Clear Polycarbonate Faceshield WP96, Molded, 10/ca **8.27 EA**

**82701**
**3M™ Speedglas™ 9100
Welding Helmet
Outside Protection Plate**

- Replacement part
- Helps protect the welding filter from welding sparks and spatter
- For use with 3M™ Speedglas™ Welding Helmets and Filters

3MCOM-06020051 Standard, 10/ca **37.22 CA**

3MCOM-06020053 High Temperature, 10/bg **7.44 EA**

06020051
**3M™ Speedglas™
9100XXI Auto
Darkening Filter**

- Delivers minimal distortion across the entire filter viewing area
- Includes proven arc detection electronics
- Features grinding and cutting modes
- Selectable Shades 5, 8-13
- Helps reduce eye strain

3MCOM-06000030i

Shades 5, 8-13, 1/ca **.612.51 EA**

06000030i**3M™ SecureFit™ Safety Helmet**

- Suspension system incorporates exclusive patented 3M™ Pressure Diffusion Technology
- Works with a variety of 3M™ Faceshields, Earmuffs, and other accessories
- Meets ANSI Z89.1
- Climbing helmet-inspired design
- Customizable fit with multiple levels of vertical adjustment
- Features 4-point chin strap with buckle and selector
- 3M's unique 4-point chin strap selector system makes it possible to switch between EN 12492 (Mountaineering helmets) and EN 397 (Industrial safety helmets) standards

3MCOM-X5001ANSI SecureFit Safety Helmet, White, 10/ca **.801.79 EA**

3MCOM-X5007ANSI SecureFit Safety Helmet, Orange, 10/ca **.801.79 EA**

**X5001ANSI****X5007ANSI****S1201SGAF**
**3M™ Solus™ 1000-Series Safety Eyewear with
3M™ Scotchgard™ Coating**

- Soft nose bridge for added comfort
- Optional removable foam-lined gasket; elastic strap
- Polycarbonate lenses absorb 99.9% of UV
- Removable, dual-injected, padded temples for added comfort
- 3M™ Scotchgard™ Anti-Fog Technology
- Meets the requirements of ANSI Z87.1 and CSA Z94.3
- One size fits most, 20/case

		Frame	Lens/Coating
3MCOM-S1201SGAF	Solus™ 1000-Series	Green/Black	Clear Scotchgard™ AF12.96 EA
3MCOM-S1101SGAF	Solus™ 1000-Series	Blue/Black	Clear Scotchgard™ AF251.94 CA
3MCOM-S1201SGAFKT	Solus™ 1000-Series	Green/Black Frame	Clear Scotchgard™ AF Lens18.22 PR
3MCOM-S1101SGAFKT	Solus™ 1000-Series	Blue/Black Frame	Clear Scotchgard™ AF Lens17.70 EA

3M™ SecureFit™ 400

- 3M™ Pressure Diffusion Technology allows temples to naturally adjust to individual head sizes reducing the need to stock multiple frame sizes at work sites
- Padded temple touch points and soft nose pads provide added comfort for long term wear
- Secure, snug fit helps keep eyewear in place without slippage even when the person is in motion
- Motion-inspired, contoured piping in a bold, modern color palette for an infusion of style
- Optional anti-fog coating helps keep lenses free of moisture in hot and humid conditions
- Polycarbonate lenses absorb 99.9% UVA and UVB down to 280 nm
- Scotchgard™ Anti-fog Coating lasts longer than traditional anti-fog coatings, helping to increase eyewear performance in wet and steamy environments
- Meets the requirements of CSA Z94.3 and ANSI Z87.1-2015



SF401AF

		Frame	Lens/Coating	
3MCOM-SF401AF	SecureFit™400	Green/Black	Clear Anti-Fog	4.28 PR

3M™ Virtua™ CCS Protective Eyewear with Foam Gasket

- Removable, foam-lined gasket helps limit eye exposure to nuisance dust while providing added comfort and cushioning
- Small vents in the gasket help minimize fogging
- Corded Earplug Control System (CCS) is designed to keep eyewear and earplugs attached, untangled and ready to use
- Earplug cord can be worn around the neck to carry eyewear when protection is not in use
- Compatible with a variety of vinyl-corded earplugs (earplugs sold separately)
- Anti-fog coated polycarbonate lenses absorb 99.9% of UV
- Lenses meet the requirements of CSA Z94.3-07 and is impact rated to ANSI Z87.1-2010



11872

		Frame	Lens/Coating	
3MCOM-11872	Virtua™ CCS w/Foam Gasket	Blue	Clear Anti-Fog	9.64 PR
3MCOM-11873	Virtua™ CCS w/Foam Gasket	Blue	Gray Anti-Fog	10.20 PR
3MCOM-11874	Virtua™ CCS w/Foam Gasket	Blue	I/O Mirrored Anti-Fog	10.48 PR

3M™ Solus™ CCS Series

- Includes the Cord Control System (CCS) temples, a versatile design helps keep eyewear and earplugs attached, untangled and ready to use
- 3M™ Scotchgard™ Anti-fog coating
- Models with a removable foam gasket help limit eye exposure to debris while providing additional cushioning
- Small vents in the optional gasket help minimize fogging
- Polycarbonate lens absorbs 99.9% UVA & UVB
- Meets the requirements of ANSI Z87.1-2015 Standard as an Impact Rated spec



SCCS01SGAFGRNF

		Frame	Lens/Coating	
3MCOM-SCCS01SGAFGRNF	Solus™ CCS	Green/Gray	Clear AF-AS w/Foam	12.41 EA

3M™ Nuvo Reader Protective Eyewear

- Molded-in magnifying +1.5 diopters combine eye protection with reading enhancement
- Classic retro style with an integral brow bar and side shields for added coverage
- Soft nose bridge cushions a high-contact point
- Dual lens profile in a one-piece lens design combines style with durability
- Recommended for chipping, chiseling, drilling, grinding, machining, masonry, pouring/casting, power fastening, riveting, sanding, sawing



11434

3MCOM-11434	Nuvo +1.5 Diopter, Clear Lens, Gray Frame	14.13 EA
3MCOM-11435	Nuvo +2.0 Diopter, Clear Lens, Gray Frame	14.13 EA
3MCOM-11436	Nuvo +2.5 Diopter, Clear Lens, Gray Frame	14.13 EA

HEARING PROTECTION

3M™ E•A•R™ Classic™ Earplugs

- Proprietary soft, slow-recovery foam is comfortable and helps with earplug fitting
- Moisture-resistant foam
- Compatible with the 3M™ E-A-Rfit™ Validation System
- Dispenser packaging option available for uncorded earplugs
- Features a Noise Reduction Rating (NRR)* of 29 dB
- CSA Class AL
- Pillow pack option for storage of earplugs between uses

		pr/bx	bx/cs	NRR	
3MCOM-3121201	Classic™ Poly Bag, Uncorded	200	10	29	37.65 BX
3MCOM-3101001	Classic™ Pillow Pack, Uncorded	200	10	29	42.14 BX
3MCOM-3911001	Dispenser Refill, 500 pr/bo, 2000 pr/ca				94.69 BO



3121201



3911001

3M™ E-A-Rsoft™ Yellow Neons™ Earplugs

- 3M™ E•A•Rsoft™ Yellow Neons Earplugs seal the ear canal with soft, slow-recovery foam for excellent noise reduction and reliable hearing protection
- The tapered earplugs are easy to roll down and insert, then expand within the ear canal for a comfortable, secure fit
- Earplugs come in a poly bag to keep them clean prior to use
- Soft and smooth foam formulation
- Vibrant color
- Noise Reduction Rating (NRR)*: 33 dB, CSA Class AL
- Test compatible with 3M™ E•A•Rfit™ Validation System

		pr/bx	bx/cs	NRR	
3MCOM-3121250	Yellow Neons™, Uncorded in Poly Bag	200	10	33	27.12 BX
3MCOM-3121251	Yellow Neons™, Uncorded in Poly Bag LARGE	200	10	33	30.01 BX
3MCOM-3911005	Yellow Neons™, Uncorded, LARGE, Dispenser Refill, 400 pr/bo, 4 bo/ca				58.99 BO



3121250

3911005



3M™ E-A-R™ UltraFit™ Earplugs

- Stem helps users insert earplug into their ear canals
- No need to touch the ear tips during earplug insertion, helping to keep ear tips clean longer
- Soft polymer is washable and reusable
- Compatible with the 3M™ E-A-Rfit™ Validation System
- Noise reduction rating (NRR)*: 25 dB for standard Ultrafit and 27 dB for Ultrafit 27.
- CSA Class AL

3MCOM-3404004	E-A-R™ UltraFit™ Earplugs, Corded, 400 pr/ca		111.07 BX
3MCOM-3404002	E-A-R™ UltraFit™ Earplugs, Corded w/Carry Case, 200 pr/ca		113.03 BX



3404004



3404002

3M™ E-A-Rsoft™ FX™ Earplugs

- Features a bell shape and super-soft, slow-recovery foam to effectively seal the ear canal and provide reliable hearing protection
- Poly bag keeps each pair of earplugs clean before use
- Bell shape allows easy fitting and removal
- Noise Reduction Rating (NRR)*: 33 dB
- Test compatible with 3M™ E•A•Rfit™ Validation System

		pr/bx	NRR	
3MCOM-3121260	FX™ Earplugs, Corded	200	33	60.48 BX
3MCOM-3121261	FX™ Earplugs, Uncorded	200	33	41.40 BX
3MCOM-3911012	FX™ Dispenser Bottle Refill, 4/ca			69.30 DS



3121260



3911012

*U.S. EPA specifies the NRR as the measure of hearing protector noise reduction. However, 3M makes no warranties as to the suitability of the NRR for this purpose. 3M strongly recommends personal fit testing of hearing protectors. Research suggests that users may receive less noise reduction than indicated by the attenuation label value(s) on the packaging due to variation in fit, fitting skill, and motivation of the user. Refer to applicable regulations or guidance on how to adjust attenuation label values. It is recommended that the NRR be reduced by 50% to better estimate typical protection.



3126001

3M™ E-A-Rsoft™ Grippers™ Earplugs

- Stem helps users insert earplug into their ear canals
- No need to touch the ear tips during earplug insertion, helping to keep ear tips clean longer
- Soft polymer is washable and reusable
- Compatible with the 3M™ E-A-Rfit™ Validation System
- Noise reduction rating (NRR)*: 25 dB for standard Ultrafit and 27 dB for Ultrafit 27.
- CSA Class AL

3MCOM-3126001 E-A-Rsoft™ Grippers™ Earplugs, Coded, 2000 pr/ca 1068.29 CA

3M™ E-A-R™ Push-Ins™ Earplugs

- Noise reduction rating (NRR)*: 28 dB
- Hold the flexible fitting stem to insert the ear tip and help keep it clean longer even when hands are dirty
- Smooth surface of soft E-A-Rform™ foam ear tip helps the ear tip slide into place for a comfortable fit
- Compatible with the 3M™ E-A-Rfit™ Validation System
- CSA Class AL

3MCOM-3181001 E-A-R™ Push-Ins™ Earplugs, Coded, 400 pr/ca 61.24 BX

3MCOM-3181000 E-A-R™ Push-Ins™ Earplugs, Uncoded, 400 pr/ca 34.99 BX



3181000

3181001

3M™ E-A-R™ Skull Screws™ Earplugs

- Tough look of threaded metal
- Ultra soft foam tips feel comfortable for extended wear
- Noise reduction rating (NRR)*: 32 dB
- Unique shape and color appeals to some users to help with compliance
- CSA Class AL

3MCOM-P1301 E-A-R™ Skull Screws™ Earplugs, Coded, 480 pr/ca 110.23 BX



P1301

3M™ E-A-R™ EXPRESS™ Pod Plugs™

- Paddle-style grips provide quick, clean, and consistent placement of earplugs
- No-roll design keeps earplugs, and ears clean, even when fingers or gloves are dirty
- Earplug design keeps tip clean even if hands are dirty
- Slow recovery foam easily goes into ear canal and then seats and stays in place
- Cord allows earplugs to be stored conveniently around the neck in between uses
- Noise reduction rating (NRR) 25 dB CSA Class AL

3MCOM-3111115 EXPRESS™ Coded, 100 pr/bx, 4 bx/ca 135.71 BX

3MCOM-3212200 EXPRESS™ Uncoded, 100 pr/bx, 4 bx/ca 70.25 BX



3111115



3404007

3M™ E-A-R™ UltraFit™ Earplugs, Metal Detectable, Coded


- Triple flange design contours to different shapes and sizes of ear canals to create a comfortable noise-blocking seal.
- Stem helps users insert earplug into their ear canal
- No need to touch the ear tips during earplug insertion, helping to keep tips clean longer
- Soft polymer is washable and reusable
- Compatible with the 3M™ E-A-Rfit™ Validation System
- NRR 25; 400 pair/case

3MCOM-3404007 E-A-R™ UltraFit™ Earplugs, Metal Detectable, Coded 1.48 PR

HEARING PROTECTION

3M™ E-A-Rsoft™ Metal Detectable Earplugs

- Designed for food processing and other industries where it is critical to keep earplugs from contaminating products and processes
- Soft, pliable foam offers comfort for wearing over an extended time
- Implanted stainless steel ball bearing and metal particles aid in locating lost earplugs
- Regular size fits most earcanals
- Poly bag keeps each pair of earplugs clean before use
- Noise Reduction Rating (NRR)*: 33 dB, CSA Class AL



		pr/bx	bx/cs	NRR	
3MCOM-3114106	Metal Detectable Corded Earplugs	200	10	33	84.61 BX



3M™ E-A-Rsoft™ SuperFit™ One Touch™ Refill, REGULAR Size

- Tapered shape and smooth texture to help with comfort
- Orange color band serves as a training tool to help see how deeply the earplug is inserted
- Compatible with the 3M™ E-A-Rfit™ Validation System
- Available with and without cords to suit user preference
- Dispenser packaging option available for uncorded earplugs

3MCOM-3911254	Dispenser Refill, 500 ea/bo, 2000 ea/ca		84.19 BO
---------------	---	-------	----------



3M™ E-A-Rsoft™ Yellow Neon Blasts™ One Touch™ Dispenser Refill Bottle, REGULAR Size

- Expands within the ear canal for comfortable noise reduction
- Orange red flame and orange cord provide fun contrast
- Compatible with the 3M™ E-A-Rfit™ Validation System
- NRR 32
- 500 pair per bottle

3MCOM-3911010	Dispenser Refill, 500 pr/bo, 4 bo/ca		89.92 BO
---------------	--------------------------------------	-------	----------

3M™ PELTOR™ Optime™ 95 Earmuffs, Behind-the-Head

- For noise levels up to 95 dBA
- Stainless steel construction resists bending and warping.
- Earcup pivot points tilt for optimum comfort and efficiency.
- Noise Reduction Rating (NRR)*: 21dB. CSA Class B.

3MCOM-H6BV	PELTOR™ Optime™ 95 Earmuffs, Behind-the-Head, 10/ca		20.82 PR
------------	---	-------	----------



3M™ PELTOR™ Optime™ 101 Earmuffs, Behind-the-Head

- For noise levels up to 101 dBA
- Stainless steel band distributes weight for low-pressure fit
- Noise Reduction Rating (NRRRA Class A.)*: 26 dB. CS
- *The NRR may overestimate the hearing protection provided during typical use

3MCOM-H7B	PELTOR™ Optime™ 101 Earmuffs, Behind-the-Head, 10/ca		46.37 PR
-----------	--	-------	----------



*U.S. EPA specifies the NRR as the measure of hearing protector noise reduction. However, 3M makes no warranties as to the suitability of the NRR for this purpose. 3M strongly recommends personal fit testing of hearing protectors. Research suggests that users may receive less noise reduction than indicated by the attenuation label value(s) on the packaging due to variation in fit, fitting skill, and motivation of the user. Refer to applicable regulations or guidance on how to adjust attenuation label values. It is recommended that the NRR be reduced by 50% to better estimate typical protection.



3M™ PELTOR™ Optime™ 105 Earmuffs

- Noise Reduction Rating (NRR) between 27–30 dB (depending on the attachment type)
- Double-shell technology boosts noise-blocking ability
- Made with soft, foam-filled cushions
- Stainless steel construction resists bending and warping
- 3M™ E-A-Rfit™ Dual-Ear Validation System testable

3MCOM-H10A PELTOR™ Optime™ 105 Earmuffs H10A, Over-the-Head, 10/ca. **43.48 PR**
3MCOM-H10B PELTOR™ Optime™ 105 Earmuffs H10A, Behind-the-Head, 10/ca. **38.57 EA**



3M™ PELTOR™ Tactical Sport™, Electronic Headset, Foldable Headband

- A premier hearing protection and communication solution for high noise environments
- Great for hunters and shooters
- Environmental microphones allow face-to-face conversation and improved situational awareness in quiet and low-to-moderate levels of noise
- Foam and liquid-filled cushions provide lasting comfort and an effective acoustic seal for long duration wear times
- Foldable, adjustable headband provides a comfortable and secure fit, and folds over the earcups for compact storage

3MCOM-MT16H210F479SV PELTOR™ Tactical Sport™, Electronic Headset, **178.09 EA**
 Foldable Headband, Black, 10/ca



Tactical Sport

3M™ PELTOR™ X4 Earmuffs

- The X4A utilizes a newly designed spacer, specially formulated foam liners and innovative ear cushions to help improve attenuation
- Lightweight, lower-profile earmuff helps with compatibility with other personal protective equipment
- Designed for protection against moderate-to-high level industrial noise and other loud sounds
- Electrically insulated wire headband, often referred to as “dielectric”
- The wire headband offers consistent pressure over prolonged wearing periods
- Earcup pivot points tilt for optimum comfort and efficiency
- Replaceable ear cushions and foam liners (hygiene kit HYYX4)
- Noise Reduction Rating (NRR)*: 21 to 27 dB
- CSA Class A

3MCOM-X4A 3M PELTOR™ Earmuffs with Standard Headband, NRR 27 dB **32.00 EA**



3M™ PELTOR™ Over-the-Head Earmuffs X5A

- A premier hearing protection and communication solution for high noise environments
- Great for hunters and shooters
- Environmental microphones allow face-to-face conversation and improved situational awareness in quiet and low-to-moderate levels of noise
- Foam and liquid-filled cushions provide lasting comfort and an effective acoustic seal for long duration wear times
- Foldable, adjustable headband provides a comfortable and secure fit, and folds over the earcups for compact storage

3MCOM-X5A PELTOR™ Over-the-Head Earmuffs X5A, 10/ca. **35.70 PR**



3M™ PELTOR™ LiteCom FRS Headset, Foldable, Single Lead, Standard Dynamic Mic, NATO Wiring, Black

- Protective communication solution for hands-free, clear communication in noisy environments
- Helps provide hearing protection when exposed to hazardous noise
- Analog two-way communication radio with 22 pre-programmed FRS channels
- Noise-cancelling microphone for clear speech transmission in noisy environments

3MCOM-MT53H7A4602NA PELTOR™ SwatTac V Headset **564.57 EA**



LiteCom FRS

HEARING PROTECTION

3M™ PELTOR™ WS™ LiteCom Plus Headset, Neckband

- For noise levels up to 95 dBA
- Stainless steel construction resists bending and warping
- Earcup pivot points tilt for optimum comfort and efficiency
- Noise Reduction Rating (NRR)*: 21 dB. CSA Class B

3MCOM-MT73H7B4610WS6NA PELTOR™ WS™ LiteCom Plus Headset, Neckband, 5/ca **826.13 EA**

**3M™ PELTOR™ LiteCom Plus Headset, Hard Hat Attached**

- Protective communication solution for hands-free, clear communication in noisy environments
- Features an integrated analog two-way radio and noise-canceling speech microphone
- Utilizes both Push-to-Talk and voice-operated transmission (VOX)
- Helps provide hearing protection when exposed to hazardous noise
- Integrated two-way radio with 22 pre-programmed FRS channels
- Environmental listening technology helps provide protection when it's loud, as well as helps workers hear environmental sounds when it's not

3MCOM-MT73H7P3E4610NA PELTOR™ LiteCom Plus Headset, Hard Hat Attached, 5/ca, **740.15 EA**

**3M™ PELTOR™ V Headset, Foldable, Standard Dynamic Mic, NATO Wiring**

- Helps protect from hazardous steady-state and impulse noise
- Clear 2-way audio comms - radios and intercoms
- Environmental listening for auditory S.A.
- "Talk-Through" for face-to-face verbal conversation
- Accessory rail connection (ARC) option
- Engineered to prevent cross-talk with DUAL COMMS

3MCOM-MT20H682FB19GN ComTac™ Headdset, Dual Lead, Green, 10/ca **885.50 EA**

3MCOM-MT20H682FB47GN ComTac™ Headset, Single Lead, Green, 10/ca **786.56 EA**

3MCOM-MT20H682FB47SV SwatTac Headset, Single Lead, Black, 10/ca **786.56 EA**

**3M™ PELTOR™ VI NIB Headset, Single DL, Headband & ARC, 915 MHz**

- Protective communication solution for clear communication in noisy environments
- NIB (Natural Interaction Behavior) wireless technology enables peer-to-peer headset communication
- Environmental microphones for level-dependent hearing protection and auditory situational awareness
- Water and dust-proof noise-cancelling microphone (IP68) for clear speech transmission in noisy and harsh environments
- Advanced environmental listening modes (Mission Audio Profiles or MAP) that optimize the auditory experience based on specific external conditions.
- Helps provide hearing protection when exposed to hazardous noise
- Rugged 3M™ PELTOR™ Design for trusted performance

3MCOM-MT20H682FB47NSVS SwatTac VI NIB Headset, Black, 10/ca **1073.25 EA**

3MCOM-MT20H682FB47NGNS ComTac™ VI NIB Headset, Green, 10/ca **1073.25 EA**

3MCOM-MT20H682FB47NCYS ComTac™ VI NIB Headset, Coyote Brown, 10/ca ... **1073.25 EA**



*U.S. EPA specifies the NRR as the measure of hearing protector noise reduction. However, 3M makes no warranties as to the suitability of the NRR for this purpose. 3M strongly recommends personal fit testing of hearing protectors. Research suggests that users may receive less noise reduction than indicated by the attenuation label value(s) on the packaging due to variation in fit, fitting skill, and motivation of the user. Refer to applicable regulations or guidance on how to adjust attenuation label values. It is recommended that the NRR be reduced by 50% to better estimate typical protection.

3M™ PELTOR™ Push-To-Talk (PTT) Adapters

- Assortment for selected 2-way communication radios
- Compatible with various 3M™ PELTOR™ Communication Headsets

3MCOM-FL506302	PELTOR™ Push-To-Talk (PTT) Adapter, 290.77 EA Motorola Turbo, NATO Wiring, 1/ca
3MCOM-FL406302	PELTOR™ NATO Wired Small PTT Adapter, 269.49 EA Motorola APX/XPR, 1/ca



MFL550DD

**3M™ Maintenance Sorbents**

- Intended to be used with oils, lubricants and other non-aggressive liquids
- Tear-resistant, non-granular design reduces mess and allows absorption of liquids in seconds
- Little ash remains after incineration for lower disposal costs
- Now available to fit 55 gallon drum tops
- Gray color

3MCOM-MFL550DD	5" x 50' Folded, 3 bx/ca 41.36 BX
----------------	---

3M™ Chemical Sorbent Folded, 5" x 50'

- For use on most aggressive (hazardous) and non-aggressive liquids.
- Four Sorbents in one - use as a boom, pillow, pad, or roll.
- Perforations every 16" allow you to select the length desired.
- Each perforated sheet unfolds to approximately 18" x 16"
- 5 inches X 50 feet (10.5 gallons/50 foot section).

3MCOM-CFL550DD	Chemical Sorbent Folded, 5" x 50", 3/ca 165.16 CA
----------------	---



CFL550DD

3M™ Petroleum High Capacity Sorbent Pad

- For use in oil only sorbent applications
- Ideal for cleaning up small spills and wiping contaminated areas
- High capacity sorbent has a scrim on one side to increase strength and help eliminate linting
- Conveniently sized pads allow the user to quickly spread sorbent over and in the path of a spill
- Pads may also be used on a work surface in anticipation of a spill or as a wipe

3MCOM-HP156	3M™ Petroleum High Capacity Sorbent Pad, 17" x 19", 100/bale 74.07 CA
-------------	---



HP156

HP255

**3M™ Oil Sorbent Sheets**

- For use in oil-only sorbent applications
- Twice as thick as standard pads
- High-capacity sorbent in a low profile design
- Scrim on one side increases strength and helps eliminate linting
- Conveniently sized, ideal for small spills and wiping down contaminated areas
- Each bale sorbs 33 gallons and contains 50 pads

3MCOM-HP255	17"x19" Sheet, 50/ca 90.28 CA
-------------	-------------------------------------



MALLORY

Safety and Supply
READY TO WORK



ALABAMA

Montgomery..... 800-625-5679
Mobile 800-625-5679

ARIZONA

Phoenix 800-625-5679

ARKANSAS

Little Rock 501-562-7700

CALIFORNIA

Brawley 760-344-4224
Carson (Los Angeles) 800-625-5679
Fremont 408-727-8530
Fresno 800-625-5679
San Dimas (Los Angeles) 510-658-0414
Modesto 800-625-5679
Oxnard (Los Angeles)..... 800-625-5679
San Diego 858-541-2880
San Francisco 800-625-5679

COLORADO

Colorado Springs 800-625-5679
Denver 303-329-9016
Denver (ENSA) 262-287-8689

FLORIDA

Jacksonville 904-693-8781

GEORGIA

Savannah 800-625-5679

IDAHO

Lewiston 360-501-3207

ILLINOIS

Chicago 800-625-5679

INDIANA

Evansville..... 800-625-5679

KANSAS

Kansas City 913-492-9444

KENTUCKY

Louisville 502-637-4337

MASSACHUSETTS

Boston 978-557-9070

MICHIGAN

Detroit 800-625-5679

MISSOURI

St. Louis 314-428-3100

NEVADA

Las Vegas 800-625-5679
Las Vegas (ENSA) 262-287-8689
Reno 775-355-2000

NEW MEXICO

Albuquerque 505-823-6434
Farmington 800-625-5679

NEW YORK

Buffalo 800-625-5679

NORTH CAROLINA

Charlotte 800-625-5679

NORTH DAKOTA

Bismarck 800-625-5679

OKLAHOMA

Tulsa 800-625-5679

OREGON

Eugene 541-683-9333
Portland 503-238-3800

PENNSYLVANIA

Allentown 800-625-5679

TENNESSEE

Memphis 800-625-5679

TEXAS

Amarillo 262-287-8689
Austin 210-650-9033
Houston 713-944-7300
San Antonio 210-650-9033

UTAH

Salt Lake City 801-978-3755

VIRGINIA

Fredericksburg 800-625-5679

WASHINGTON

Bellingham 360-734-1110
Longview 360-636-5750
Moses Lake..... 800-625-5679
Seattle 206-762-8500
Spokane 509-534-0661

WISCONSIN

Mukwonago 262-287-8689

WYOMING

Casper 800-625-5679
Cheyenne 800-625-5679
Rock Springs..... 800-625-5679