



GRIPPS®

ENGINEERED FOR DROP PREVENTION

TOOL CONNECTORS

Connect | Anchor | Tether | Transport | Encapsulate

CREATE THE CONNECTION: THE FOUNDATION OF SAFE TOOL TETHERING

WHY TOOL TETHERING MATTERS

Every year, dropped objects cause thousands of serious injuries and fatalities worldwide. From construction sites to industrial maintenance (such as turnarounds & outages) or mega projects (such as Nuclear power facilities), the risk is universal:

- A **1kg (2.2lb) wrench dropped from 10m (33ft)** strikes with 98 joules of energy, which would cause serious traumatic injury requiring significant medical treatment (if not fatal).
- Even a **mobile phone falling from a height** can cause life-threatening injuries.

The consequences are severe:

- **Lives lost** – Dropped objects are a leading cause of workplace fatalities globally.
- **Costs rising** – Insurance claims, regulatory fines, and downtime cost industries billions each year.
- **Reputation at risk** – One preventable incident can damage trust with clients, workers, and regulators.

THE GRIPPS SOLUTION

GRIPPS® exists for one mission: **to eliminate critical risks and save workers' lives.**

The foundation of this is the **connection point**—the crucial first link in any tool tethering system. When tools lack a suitable tether point, GRIPPS Tool Connectors provide a rugged, certified, and permanent solution.

As the first step in the **CATTE Method** (Connect · Anchor · Tether · Transport · Encapsulate), Tool Connectors transform ordinary tools into safe, tether-ready equipment, ensuring nothing is left to chance.

By establishing a secure connection, you lay the groundwork for a comprehensive tool tethering system that keeps your team and worksite safe.





H01030



H01021



H01008



CONTENTS

GRIPPTIE	06
LITTLE GRIPPER KIT	07
E-CATCH	07
TOOL RING	08
SCREWLOCK CABLE	08
GRIPPLOCK CABLE	08
TOOL CATCH	09
TOOL CATCH – NON CONDUCTIVE	09
V-GRIPP TAPE	09
V-GRIPP TAPE & TOOL CATCH KIT	09
GRIPP SHRINK	10
SWIVEL CATCH	10
TOOL HITCH - 16KG / 35LB	11
SINGLE-ARM TOOL HITCH - 16KG / 35LB	11
DUAL-ARM TOOL HITCH 16KG / 35LB	11
DUAL-ARM TOOL HITCH - 32KG / 71LB	11
PHONE GRIPPER	12
TABLET GRIPPER	12

GRIPPTIE

H01008

The GRIPPS® GrippTie is a versatile, durable, and cost-effective tool connector that presents a breakthrough in tool tethering technology. The GrippTie is fully certified to ANSI/ISEA 121-2023 and can be attached to a vast array of hand tools rapidly and without the need for any secondary components or specialised equipment.

Purpose-built for speed and efficiency, it dramatically cuts down application time compared to traditional methods, making tool tethering faster and more convenient than ever.

- ANSI/ISEA 121-2023 compliant.
- Highly versatile and adaptable to a wide range of tools.
- Extremely fast to apply (only requiring a pair of pliers).
- Maximum load rating of 2kg/4.4lb

The GrippTie is designed for use with GRIPPS® tethers up to 1.3 m / 51 in.

SKU	MAX LOAD	LENGTH	MAX TETHER LENGTH
H01008	2 kg 4.4 lb	265 mm 10.43 in	1.3 m 51 in




CERTIFIED TOOL CONNECTORS
ENGINEERED FOR ADAPTABILITY



LITTLE GRIPPER KIT

H03048

- Simple press-fit installation onto the shaft of screwdrivers, allen keys etc.
- No additional adhesives or tools required for application.
- UV-protected for long-lasting outdoor use.
- Compatible with tool shafts of many shapes and thickness.
- Made in Australia.



ANSI/ISEA 121-2023 COMPLIANT

SKU	PART	COMPONENTS	MAX LOAD
H03048	Little Gripper Kit	2 x Size 1 Little Gripper (3.5 mm - 6 mm 0.14 in - 0.26 in) 2 x Size 2 Little Gripper (5.5 mm - 9 mm 0.22 in - 0.35 in) 2 x Size 3 Little Gripper (8 mm - 13 mm 0.31 in - 0.51 in) 2 x Size 4 Little Gripper (12 mm - 16 mm 0.5 in - 0.63 in) 4 x Gripp Link	
H03040K	Little Gripper Kit Size 1: 3.5mm - 6.5mm	10 x Size 1 Little Gripper (3.5 mm - 6.5mm 0.14 in - 0.26 in) 10 x H03047 Gripp Link	0.5 kg 1.1 lb
H03041K	Little Gripper Kit Size 2: 5.5mm - 9mm	10 x Size 2 Little Gripper (5.5 mm - 9 mm 0.22 in - 0.35 in) 10 x H03047 Gripp Link	
H03042K	Little Gripper Kit Size 3: 8mm - 13mm	10 x Size 3 Little Gripper (8 mm - 13 mm 0.31 in - 0.51 in) 10 x H03047 Gripp Link	
H03043K	Little Gripper Kit Size 4: 12mm - 16mm	10 x Size 4 Little Gripper (12 mm - 16 mm 0.5 in - 0.63 in) 10 x H03047 Gripp Link	

E-CATCH

H01035

- Ready to use immediately after application.
- Cures completely in 24 hours. Flexible, notched surface adheres to curved surfaces.
- Features heavy-duty industrial-grade VHB adhesive tape.
- Connects to the GRIPPS® Electronic Tool Tether.
- Low profile that does not interfere with device functionality.



SKU	MAX LOAD
H01035	0.5 kg 5.1 lb

TOOL RING

- Quick, easy installation not requiring any special tools or equipment.
- Long lasting and economical.
- Available in three sizes.

SKU	MAX LOAD	SIZES
H01036	1 kg 2.2 lb	19 mm 0.75 in
H01037	1 kg 2.2 lb	25 mm 1 in
H01038	1 kg 2.2 lb	38 mm 1.5 in

H01036 - H01038



SCREWLOCK CABLE

- Easy screwlock attachment process that can be performed onsite.
- Long lasting PU-coated aircraft-grade steel cable.
- Can be locked permanently using thread locking compounds.

SKU	MAX LOAD	SIZES
H01030	1 kg 2.2 lb	3 mm x 120 mm 0.12 in x 4.75 in
H01031	1 kg 2.2 lb	3 mm x 150 mm 0.12 in x 6 in
H01032	2 kg 4.4 lb	4 mm x 160 mm 0.15 in x 6.25 in
H01033	2 kg 4.4 lb	4 mm x 200 mm 0.15 in x 7.87 in

H01030 - H01033



ANSI/ISEA 121-2023 COMPLIANT

GRIPPLOCK CABLE

- Simply press Gripplock end connectors together to create a permanent attachment point.
- Suited to many styles of hand tools.
- Long lasting PU-coated aircraft-grade steel cable.

SKU	MAX LOAD	SIZES
H01040	1 kg 2.2 lb	3 mm x 120 mm 0.12 in x 4.7 in
H01041	1 kg 2.2 lb	3 mm x 150 mm 0.12 in x 5.9 in

H01040 / H01041



ANSI/ISEA 121-2023 COMPLIANT

PATENT PENDING



H01021 | H01030

TOOL CATCH

- Robust Nylon connector with welded D-ring.
- Suited to a vast array of hand tools.
- Fully certified and load-rated when used with GRIPPS® V-Gripp Tape.

SKU	MAX LOAD	SIZES
H01005	1 kg 2.2 lb	12 mm x 55 mm 0.4 in x 2.1 in
H01006	2.5 kg 5.5 lb	25 mm x 90 mm 0.9 in x 3.5 in

H01005 / H01006



ANSI/ISEA 121-2023 COMPLIANT

TOOL CATCH – NON CONDUCTIVE

- Robust Nylon connector with poly D-ring.
- Easy installation process that can be done onsite.
- Ideal for use with non-conductive tools.
- Fully certified and load-rated when used with GRIPPS® V-Gripp Tape.

SKU	MAX LOAD	SIZES
H01007	1 kg 2.2 lb	12 mm x 55 mm 0.4 in x 2.1 in

H01007



ANSI/ISEA 121-2023 COMPLIANT

V-GRIPP TAPE

- Self-fusing tape that provides a load-rated tool connection point when used with GRIPPS® Tool Catches and GRIPPS® Tool Hitches.
- Heat resistant to 150°C / 302°F.
- Resistant to water and oil.
- Resilient and long-lasting.

SKU	LENGTH	WIDTH
H01010	2.7 m 8 ft 10 in	25 mm 1 in

H01010



V-GRIPP TAPE & TOOL CATCH KIT

- Creates resilient and long-lasting tool connection points.
- Applicable for a wide range of hand tools such as pliers, wrenches and spanners.
- Includes GRIPPS® unique V-Gripp Tape, which is resistant to water and oil.
- Does not require additional adhesives due to self-vulcanising V-Gripp Tape.

SKU	PART	COMPONENTS	MAX LOAD
H01417	H01005	3 x Tool Catch - 25mm x 90mm / 1 in x 3.5 in	1 kg 2.2 lb
	H01006	3 x Tool Catch - 12mm x 55mm / 0.5 in x 2.25 in	
	H01010	V-Gripp Tape	

H01417



ANSI/ISEA 121-2023 COMPLIANT

GRIPP SHRINK

- Provides additional protection for GRIPPS® V-Gripp Tape.
- Quickly shrinks and protects when exposed to heat.
- Resistant to abrasives.

SKU	SIZES
H03000	20 mm x 50 mm 0.7 in x 1.9 in
H03001	25 mm x 50 mm 1 in x 2 in
H03002	40 mm x 50 mm 1.6 in x 2 in
H03005	50 mm x 100 mm 2 in x 3.9 in

H03000 - H03005



SWIVEL CATCH

- Connects to tools with an existing hang-hole or slot or closed handle.
- The steel connector ring includes a swivel point, providing a full 360-degree range of movement.

SKU	MAX LOAD	LENGTH
H01021	2.5 kg 5.5 lb	13 cm 5 in

H01021



H01058



H01417



TOOL HITCH - 16KG / 35LB

- Fast and simple application to tools with an enclosed area.
- Chokes around the enclosed handle of tools weighing up to 16kg / 35lb.
- No need for additional adhesives or equipment.
- Tactical-grade Nylon for maximum strength.

SKU	MAX LOAD	LENGTH	MAX TETHER LENGTH
H01055	16 kg 35 lb	41 cm 16.14 in	1.8 m 71 in



SINGLE-ARM TOOL HITCH - 16KG / 35LB

- Ideally suited to power tools with a trigger on the handle.
- Chokes around the handle of larger tools weighing up to 16kg / 35lb.
- GRIPPS® V-Gripp Tape is used to secure the 'single-arm' in way that does not interfere with the tool trigger.
- Tactical-grade Nylon for maximum strength.

SKU	MAX LOAD	LENGTH	MAX TETHER LENGTH
H01056	16 kg 35 lb	41 cm 16.14 in	1.8 m 71 in



DUAL-ARM TOOL HITCH 16KG / 35LB

- Creates a load-rated tool connection point for heavy 'open' tools.
- Tactical-grade Nylon for maximum strength.
- Heavy-duty closed metal D-ring.

SKU	MAX LOAD	LENGTH	MAX TETHER LENGTH
H01057	16 kg 35 lb	41 cm 16.1 in	1.8 m 71 in



DUAL-ARM TOOL HITCH - 32KG / 71LB

- Creates a load-rated tool connection point for heavy 'open' tools up to 32kg / 71lb.
- Tactical-grade Nylon for maximum strength.
- Heavy-duty closed metal D-ring.

SKU	MAX LOAD	LENGTH	MAX TETHER LENGTH
H01058	32 kg 71 lb	65 cm 25.59 in	1.8 m 71 in



PHONE GRIPPER

H02039

- Custom silicon compound made for strength and grip.
- Avoids installing a permanent connector point on your mobile phone / cellular phone.
- No additional adhesives required.
- Integrated, load-rated tether connection eyelet.
- Compatible with most smart phones.

SKU	MAX LOAD	PRODUCT NAME
H02039	0.3 kg 0.66 lb	Phone Gripper
H02039P	0.3 kg 0.66 lb	Phone Gripper with Coil Tether (Non-Conductive)




TABLET GRIPPER

H02037

- Custom silicon compound made for strength and grip.
- Avoids installing a permanent connector point on your tablet.
- No additional adhesives required.
- Integrated, load-rated tether connection eyelet.
- Compatible with most tablet devices.

SKU	MAX LOAD	PRODUCT NAME
H02037	0.85 kg 1.9 lb	Tablet Gripper
H02037P	0.85 kg 1.9 lb	Tablet Gripper with Coil Tether Single-Action



H02039P

WHAT MAKES OUR TOOL CONNECTORS DIFFERENT?

- **Complete, ready-to-use solutions:** create secure, load-rated attachment points where none exist and remove the guesswork.
- **Certified for compliance:** ANSI-ISEA 121-2023 compliant connectors for proven and dependable drop-prevention performance.
- **Engineered for adaptability:** connectors that work across diverse tool shapes and sizes.
- **Legacy of quality and innovation:** GRIPPS® holds a steadfast commitment to eliminating the critical risk of dropped objects on worksites and bringing best-to-market solutions.
- **Simple integration with the CATTE method:** Connect, Anchor, Tether, Transport/Storage, Encapsulate.
- **Durable and field-tested:** built to withstand demanding industrial conditions.

GRIPPS®

AUSTRALIA - HEAD OFFICE

+61 3 8383 9458
sales.au@gripps.com

36 Reddish Close
Epping VIC 3076
Australia

NORTH AMERICA

+1 480-757-9380
sales@gripps.com

31435 Stephenson Highway,
Madison Heights,
Michigan 48071,
United States

EUROPE

+31 88 697 2565
sales.eu@gripps.com

Leehove 40
2678 MC DE LIER
The Netherlands

UNITED KINGDOM

+31 88 697 2565
sales.uk@gripps.com

3 Radway Road
Britannia Trade Park
Swindon, Wilts, SN3 4ND,
United Kingdom

GRIPPS.COM



#ConquerGravity