

Premier Portable Instruments

GX-2012 Five Sensor Sample Draw Confined Space Monitor

Combustibles (CH4 Standard)	% Volume CH4	O2	H2S	CO
Catalytic combustion	Thermal Conductivity	Galvanic Cell	Electrochemical Cell	
0 ~ 100% LEL	0 ~ 100% Vol.	0 ~ 40% Vol.	0 ~ 100 ppm	0 ~ 500 ppm

Part Number Structure

72-0290- **XX** - **Y**
 Gas Configuration Battery Option



Step 1 - Choose Base Model

Part#	Description
72-0290-01-__	GX-2012, 1 sensor, LEL base, choose battery option
72-0290-02-__	GX-2012, 1 sensor, O2 base, choose battery option
72-0290-03-__	GX-2012, 1 sensor, H2S base, choose battery option
72-0290-04-__	GX-2012, 1 sensor, CO base, choose battery option
72-0290-08-__	GX-2012, 2 sensor, LEL / O2 base, choose battery option
72-0290-09-__	GX-2012, 2 sensor, LEL / H2S base, choose battery option
72-0290-10-__	GX-2012, 2 sensor, LEL / CO base, choose battery option
72-0290-11-__	GX-2012, 2 sensor, LEL / % volume CH4 base, choose battery option
72-0290-12-__	GX-2012, 2 sensor, O2 / CO base, choose battery option
72-0290-16-__	GX-2012, 3 sensor, LEL / O2 / H2S base, choose battery option
72-0290-17-__	GX-2012, 3 sensor, LEL / O2 / CO base, choose battery option
72-0290-18-__	GX-2012, 3 sensor, LEL / % volume CH4 / O2 base, choose battery option
72-0290-19-__	GX-2012, 3 sensor, LEL / % volume CH4 / CO base, choose battery option
72-0290-22-__	GX-2012, 4 sensor, LEL / O2 / H2S / CO base, choose battery option
72-0290-23-__	GX-2012, 4 sensor, LEL / % volume CH4 / O2 / CO base, choose battery option
72-0290-24-__	GX-2012, 4 sensor, LEL / % volume CH4 / O2 / H2S base, choose battery option
72-0290-27-__	GX-2012, 5 sensor, LEL / % volume CH4 / O2 / H2S / CO base, choose battery option

Step 2 - Choose Battery Option

Add Battery Option letter below to the end of the Base Model part # and add price to the Base Model price.

- A Alkaline battery pack only
- B Alkaline and Li-Ion battery packs with 100-240 VAC Charger
- C Li-Ion battery pack only with 100-240 VAC charger (Alkaline battery pack not included)
- D Li-Ion battery pack only with 12 VDC charger (Alkaline battery pack not included)
- E Alkaline and Li-Ion battery packs with 12 VDC Charger
- F Li-Ion battery pack only with 100-240 VAC / 12 VDC Charger (Alkaline battery pack not included)
- G Alkaline and Li-Ion battery packs with 100-240 VAC / 12 VDC charger
- H Li-Ion battery pack only with no charger

Example: 72-0290-22-C is GX-2012, 4 sensors, LEL / O2 / H2S / CO, with 100-240 VAC charger and Li-Ion battery pack
 (Alkaline battery pack is not included with this example)

Part#	Description
72-0290-22-C	GX-2012, 4 sensors, LEL / O2 / H2S / CO, with 100-240 VAC charger and Li-Ion battery pack

Instrument Price Includes

10' hose, probe, Operators Manual, and Product CD (contains Training Video, Parts List, Data logging software, Operators Manual, and Quick Reference Card). The battery and charger (if applicable) option selected above is also included.

Premier Portable Instruments

GX-2012 Replacement Sensors

<u>Part#</u>	<u>Description</u>
ES-1821	Sensor, Carbon Monoxide (CO) for GX-2009/GX-2012/GX-6000/CO-03/GasWatch 2/Gas Tracer
ES-1827i	Sensor, Hydrogen Sulfide (H2S) for GX-2009/GX-2012/GX-6000/HS-03/GasWatch 2
NC-6264A	Sensor, LEL, for GX-2009/GX-2012/GX-6000/GP-03/Gas Tracer
OS-BM2	Sensor, Oxygen (O2) for GX-2009/GX-2012/GX-6000/GasWatch 2/OX-03/Gas Tracer
TE-7561	Sensor, TC, % volume, GX-2003/GX-2012/Gas Tracer
NC-6264AZX	Sensor, LEL, silicone resistant, for GX-2009/GX-2012/GX-6000/GX-2001/GX-2003/Gas Tracer/GP-01

GX-2012 Calibration Kits

<u>Instrument #</u>	<u>Cal-Kit Part #</u>	<u>Cal-Kit Description</u>
72-0290-08	81-GX03CO	Cal kit, GX-2003/GX-2012, 103L cyl CO/CH4/O2 in N2, dem flow reg, case & tubing
72-0290-10	81-GX03CO-DLV	Cal kit, GX-2003/GX-2012, 34L cyl CO/CH4/O2, dem flow reg, case & tubing
72-0290-12	81-GX03CO-LV	Cal kit, GX-2003/GX-2012, 34L cyl CO/CH4/O2 in N2, dispensing valve, gas bag, case & tubing
72-0290-17		
72-0290-09	81-GX03HSCO	Cal kit, GX-2003/GX-2012, 58AL cyl H2S (25 ppm)/CO/CH4/O2, dem flow reg, case & tubing
72-0290-16	81-GX03HSCO-DLV	Cal kit, GX-2003/GX-2012, 34AL cyl H2S (25 ppm)/CO/CH4/O2, dem flow reg, case & tubing
72-0290-22	81-GX03HSCO-LV	Cal kit, GX-2003/GX-2012, 34AL cyl H2S (25 ppm)/CO/CH4/O2, reg with gauge & knob, gas bag, case & tubing
72-0290-11		
72-0290-18	81-GX12VCO-DLV	Cal kit, GX-2012, 34L cyl CO/CH4/O2, 34L 50% vol CH4, dem flow reg, case & tubing
72-0290-19		
72-0290-23		
72-0290-24	81-GX03VHSCO	Cal kit, GX-2003/GX-2012, 58AL cyl H2S (25 ppm)/CO/CH4/O2, 58L 100% vol. CH4, dem flow reg, case & tubing
72-0290-27	81-GX03VHSCO-LV	Cal kit, GX-2003/GX-2012, 34AL cyl H2S (25 ppm)/CO/CH4/O2, 58L cyl 100% vol. CH4, reg with gauge & knob, disp valve, gas bag, case & tubing
	81-GX03VHSCODLV	Cal kit, GX-2003/GX-2012, 34AL cyl H2S (25 ppm)/CO/CH4/O2, 58L cyl 100% vol. CH4, dem flow reg, case & tubing

Premier Portable Instruments

GX-2012 Instrument Bundles (Instrument Included)

Part#	Description
72-0290-22-A-50	GX-2012 bundle, 4 sensors, LEL / O2 / H2S / CO unit with alkaline battery pack, and padded case
72-0290-22-A-51	GX-2012 bundle, 4 sensors, LEL / O2 / H2S / CO unit with alkaline battery pack, 34AL cyl H2S/CO/O2/CH4, demand flow regulator , tubing and padded case
72-0290-22-C-50	GX-2012 bundle, 4 sensors, LEL / O2 / H2S / CO unit with Li-Ion battery pack and 115 VAC charger , and padded case
72-0290-22-C-51	GX-2012 bundle, 4 sensors, LEL / O2 / H2S / CO unit with Li-Ion battery pack and 115 VAC charger, 34AL cyl H2S/CO/O2/CH4, demand flow regulator , tubing and padded case
72-0290-27-A-51	GX-2012 bundle, 5 sensors, % volume CH4 / LEL / O2 / H2S / CO unit with alkaline battery pack, 34AL cyl H2S/CO/O2/CH4, 58L cyl 100% vol CH4, demand flow regulator, tubing and padded case
72-0290-27-C-51	GX-2012 bundle, 5 sensors, % volume CH4 / LEL / O2 / H2S / CO unit with Li-Ion battery pack and 115 VAC charger, 34AL cyl H2S/CO/O2/CH4, 58L cyl 100% vol CH4, demand flow regulator , tubing and padded case
72-0292-22-A-50	GX-2012 CSA bundle, 4 sensors, LEL / O2 / H2S / CO unit with alkaline battery pack, and padded case
72-0292-22-A-51	GX-2012 CSA bundle, 4 sensors, LEL / O2 / H2S / CO unit with alkaline battery pack, 34AL cyl H2S/CO/O2/CH4, demand flow regulator , tubing and padded case



72-0290-22-C-51

Premier Portable Instruments

SDM-2012 Calibration Station

ORDERING INFORMATION: When ordering an SDM-2012 calibration station, please specify the following components:

- 1) Select the docking station part number based on your calibration needs (calibration gas cylinder, regulator, or unit only).
- 2) Select any other calibration gas cylinder you may need.

Part#	Description
81-SDM2012-01	Single point calibration station for GX-2012 and Gas Tracer, model SDM-2012 with AC Adaptor, flash drive, USB cable, tubing & installation CD
81-SDM2012-02	Single point calibration station for GX-2012 and Gas Tracer, model SDM-2012 with AC Adaptor, flash drive, USB cable, tubing, installation CD & demand flow regulator
81-SDM2012-03	Single point calibration station for GX-2012, model SDM-2012 with AC Adaptor, flash drive, USB cable, tubing, installation CD, demand flow regulator & 58AL cyl H2S (25 ppm)/CO/CH4/O2
81-SDM2012-04	Single point calibration station for GX-2012, model SDM-2012 with AC Adaptor, flash drive, USB cable, tubing, installation CD, demand flow regulator, 58AL cyl H2S (25 ppm)/CO/CH4/O2 & 58L steel cyl Methane 100% volume
81-SDM2012-05	Single point calibration station for GX-2012, model SDM-2012 with AC Adaptor, flash drive, USB cable, tubing, installation CD, two demand flow regulators, 58AL cyl H2S (25 ppm)/CO/CH4/O2 & 58L steel cyl Methane 100% volume



SDM-2012

SDM-2009 Calibration Gases & Equipment

Part#	Description
32-0031RK-01	Valve with hose barbs and sample tube for two cylinders to connect to a single calibration station gas port
33-0167RK	Filter, particulate, CF-8369
49-2058RK-04	AC adapter 4 port charger for SDM-2009, SDM-2012, and SDM-03
81-0016RK-05	Cylinder, Methane 100% volume, 58L steel
81-0090RK-01	Cylinder, CO 50 ppm / Methane 50% LEL / O2 12 % in N2, 34L
81-0090RK-03	Cylinder, CO 50 ppm / Methane 50% LEL / O2 12 % in N2, 103L
81-0154RK-02	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 58AL
81-0154RK-04	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 34AL
81-0154RK-116	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 116AL
81-1054RK	Regulator, demand flow for 34AL/58AL/103L
82-6002	PC Controller with ethernet networking kit for SDM-2009, SDM-2012, and SDM-03 calibrations stations, 11.5 inch screen 64 bit Windows 7 Professional pc with SDM PC Controller software installed and 6' ethernet cable
82-6050RK	USB Hub, 4 port 2.0 for SDM-2012
82-6051RK	USB Hub, 7 port 2.0 for SDM-2012
82-6105RK	USB flash drive, 1 GB, for calibration stations

Premier Portable Instruments

GX-2012 Replacement Parts & Accessories

Part#	Description
06-1248RK-03	Calibration Tubing, polyurethane, 3/16 OD x 5/16 ID, 3'
07-2005RK	Gasket, filter/screen retaining, RP-2009/RP-6/GX-2003/GX-2012/Gas Tracer
07-6000RK	O-ring for inlet fitting of RP-2009/RP-6/GX-2003/GX-2012/Gas Tracer
07-6024RK	Battery pack gasket, GX-2012 / Gas Tracer
07-6025RK	Main case gasket, GX-2012 / Gas Tracer
07-6026RK	Sensor gasket, GX-2012 / Gas Tracer
10-1092RK	Truss screw M2 x 5
10-1093RK	Screw M2 x 6
13-0112RK	Wrist strap
13-0118RK	Belt clip, GX-2012 / Gas Tracer
17-1000RK	Inlet fitting (also needs o-ring 07-6000RK)
17-1001RK	Tapered rubber inlet nozzle, 4", RP-2009/RP-6/GX-2003/GX-2012/Gas Tracer
17-4430RK-01	Bypass tee probe w/GX-7 quick disconnect, for GX-2003 / GX-2012/Gas Tracer purge sampling
20-0110RK-01	Case for 1-3 cylinders, 17/34L/34AL, with foam
20-0112RK-03	Case with foam, for GX-2003 with accessories & cal kit with one cylinder
20-0114RK-01	Case with foam, for GX-2003 with accessories & cal kit with 2 cylinders
21-1833RK	Filter holder, clear plastic, RP-2009/GX-2003/GX-2012/Gas Tracer/GX-6000
21-1889RK	Main case assembly, GX-2012
21-1890RK	Top cover assembly, GX-2012/Gas Tracer
21-1892RK	Sensor cap assembly, GX-2012/Gas Tracer
30-0022RK	Pump replacement for GX-2012/Gas Tracer/RP-2009/GX-6000/FP-31/NC-1000, with cable and connector
30-1053RK	Vibration motor, GX-2003/GX-2012/Gas Tracer
33-0159RK	Teflon filter disc, 10 pieces, RP-2009/RP-6/GX-2003/GX-2012/Gas Tracer/GX-6000/NC-1000
33-1031RK	Cotton balls, filters for probe, bag of 25
33-1036RK	Filter body, plastic, for 80-0150RK probe
33-1112RK	Wire mesh disk filter, RP-2009/RP-6/GX-2003/GX-2012/Gas Tracer/GX-6000, 10 pack
33-7102RK	Filter, charcoal, for CO sensor, pack of 5, GX-2009/GX-2012/Gas Tracer/GX-6000
33-7114RK	Filter disk, H2S scrubber, strip of 5, for LEL sensor port, GP-01/GX-2001/GX-2009/GX-2012/Gas Tracer/GX-6000
45-2430RK	Plug adapter for charger, US to Euro, non-grounded
47-5084RK-01	Downloading cable, USB / IrDA adapter, Windows XP, Windows 7, & Windows 8 compatible (Not needed if computer has built-in IR port)
49-0115RK	115 / 220 VAC Adapter for charger, GX-6000/GX-2009/GX-2012/Gas Tracer/EAGLE 2/GX-8000
49-1120RK	Size AA alkaline battery
49-1320RK	Battery, NiMH, AA
49-1406RK	Battery, lithium, CR 1220, for main PCB for GX-2012, Gas Tracer, GP-1000, & NC-1000
49-1615RK	Battery pack, lithium ion, GX-2012 / Gas Tracer
49-1616RK	Alkaline Battery pack without batteries with gasket, GX-2012 / Gas Tracer
49-1616RK-01	Alkaline Battery pack cover with gasket, GX-2012 / Gas Tracer
49-2020RK	12 VDC Adapter for charger with vehicle plug (charger base not included), GX-2009/GX-2012/Gas Tracer
49-2058RK-04	AC adapter 4 port charger for SDM-2009, SDM-2012, and SDM-03
49-2180RK	Charging station only, for Li-Ion battery pack, no AC adapter for GX-2012/Gas Tracer
49-2180RK-01	Charging station with AC adapter, for Li-Ion battery pack, 110/115/220 VAC, for GX-2012/Gas Tracer
49-2181RK	Charging station with 12 VDC vehicle plug adapter for Li-Ion battery pack, for GX-2012/Gas Tracer
49-3105RK	Charger, NiMH, charges four AA or AAA size with A/C adapter and DC vehicle plug
49-3106RK	Charger, NiMH, charges twelve AA or AAA size with A/C adapter and DC vehicle plug
51-1125RK	LCD display, GX-2012 / Gas Tracer
57-2041RK	Sensor PC board assembly, GX-2012
57-2043RK	CPU PC board assembly, GX-2012
71-0239RK	GX-2012 CSA Operator's Manual
71-0245RK	GX-2012 Data Logger Management Program Operator's Manual
71-8004RK	Product CD, GX-2012, includes data downloading software, operators manual, training video, spare parts list, and quick reference card
71-8007RK	Product CD, SDM-GX includes data viewing software, operators manual for SDM-GX2009 and SDM-GX2012
80-0009RK-10	Hose, 10', polyurethane, GX-2012/Gas Tracer/GX-20003/RP-2009
80-0009RK-15	Hose, 15', polyurethane, GX-2012/Gas Tracer/GX-20003/RP-2009
80-0009RK-20	Hose, 20', polyurethane, GX-2012/Gas Tracer/GX-20003/RP-2009
80-0009RK-25	Hose, 25', polyurethane, GX-2012/Gas Tracer/GX-20003/RP-2009
80-0009RK-30	Hose, 30', polyurethane, GX-2012/Gas Tracer/GX-20003/RP-2009

Premier Portable Instruments

GX-2012 Replacement Parts & Accessories

Part#	Description
80-0009RK-40	Hose, 40', polyurethane, GX-2012/Gas Tracer/GX-20003/RP-2009
80-0009RK-50	Hose, 50', polyurethane, GX-2012/Gas Tracer/GX-20003/RP-2009
80-0009RK-75	Hose, 75', polyurethane, GX-2012/Gas Tracer/GX-20003/RP-2009
80-0009RK-99	Hose, 100', polyurethane, RKI style, GX-2012/Gas Tracer/GX-20003/RP-2009
80-0101RK	Hose with floating head, 8 meters (25 feet), with GX-/RX- series
80-0138RK	Stainless steel probe, 4 feet with filter for GX-2012
80-0140RK	Extendible probe, 32" (collapsible), fiberglass with filter for GX-2003/GX-2012/Gas Tracer
80-0144RK	Extendible probe, 7' (collapsible to 2'), fiberglass with filter for GX-2003/GX-2012/Gas Tracer
80-0150RK	Probe assembly, 10", with cotton ball filter
80-0155RK	Probe assembly, 30", aluminum, with cotton ball filter, for GX-2003/GX-2012/Gas Tracer
80-0157RK	Bar hole probe, 30" fiberglass for GX-2003/GX-2012/Gas Tracer
80-0161RK	Flexible 10" probe tube without instrument adapter, clear plastic
80-0161RK-24	Flexible 24" probe tube without instrument adapter, clear plastic
80-0162RK	Flexible 10" probe tube with female quick-connect (attaches to instrument)
80-0162RK-24	Flexible 24" probe tube with female quick-connect (attaches to instrument)
80-0225RK	Hydrophobic filter, in line, ACRO - 50 with fittings for GX-7/GX-2001/GX-2003/GX-2012/Gas Tracer and RX-415
80-0404RK	Dilution fitting, 50:50 for GX-2003/-2012/Gas Tracer/RP-2009/RP-6
81-0016RK-05	Cylinder, Methane 100% volume, 58L steel
81-0090RK-01	Cylinder, CO 50 ppm / Methane 50% LEL / O2 12 % in N2, 34L
81-0090RK-03	Cylinder, CO 50 ppm / Methane 50% LEL / O2 12 % in N2, 103L
81-0154RK-02	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 58AL
81-0154RK-04	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 34AL
81-0154RK-06-11	Bump test cylinder, H2S 40 ppm / CO 100 ppm / Methane 50% LEL / O2 12% in N2, 11AL aerosol, with red plastic straw and gas bag for GX-2012
81-0154RK-116	Cylinder, H2S 25 ppm / CO 50 ppm / CH4 50% LEL / O2 12% in N2, 116AL
81-1050RK	Regulator, with gauge & knob, 17/34L, 0.5 LPM
81-1051RK	Regulator, with gauge & knob, 34AL/58AL/103L, 0.5 LPM
81-1054RK	Regulator, demand flow for 34AL/58AL/103L
81-1055RK	Regulator, demand flow for 17L/34L steel cylinders

Premier Portable Instruments

GX-2012 Five Sensor Sample Draw Confined Space Monitor with CSA Approval

Combustibles (CH4 Standard)	% Volume CH4	O2	H2S	CO
Catalytic combustion	Thermal Conductivity	Galvanic Cell	Electrochemical Cell	
0 ~ 100% LEL	0 ~ 100% Vol.	0 ~ 40% Vol.	0 ~ 100 ppm	0 ~ 500 ppm



Part Number Structure

Gas Configuration **Battery Option**
72-0292- **XX** - **Y**

Step 1 - Choose Base Model

Part#	Description
72-0292-01-__	GX-2012, 1 sensor, LEL base, choose battery option
72-0292-02-__	GX-2012, 1 sensor, O2 base, choose battery option
72-0292-03-__	GX-2012, 1 sensor, H2S base, choose battery option
72-0292-04-__	GX-2012, 1 sensor, CO base, choose battery option
72-0292-08-__	GX-2012, 2 sensor, LEL / O2 base, choose battery option
72-0292-09-__	GX-2012, 2 sensor, LEL / H2S base, choose battery option
72-0292-10-__	GX-2012, 2 sensor, LEL / CO base, choose battery option
72-0292-11-__	GX-2012, 2 sensor, LEL / % volume CH4 base, choose battery option
72-0292-12-__	GX-2012, 2 sensor, O2 / CO base, choose battery option
72-0292-14-__	GX-2012, 2 sensor, O2 / H2S
72-0292-16-__	GX-2012, 3 sensor, LEL / O2 / H2S base, choose battery option
72-0292-17-__	GX-2012, 3 sensor, LEL / O2 / CO base, choose battery option
72-0292-18-__	GX-2012, 3 sensor, LEL / % volume CH4 / O2 base, choose battery option
72-0292-19-__	GX-2012, 3 sensor, LEL / % volume CH4 / CO base, choose battery option
72-0292-22-__	GX-2012, 4 sensor, LEL / O2 / H2S / CO base, choose battery option
72-0292-23-__	GX-2012, 4 sensor, LEL / % volume CH4 / O2 / CO base, choose battery option
72-0292-24-__	GX-2012, 4 sensor, LEL / % volume CH4 / O2 / H2S base, choose battery option
72-0292-27-__	GX-2012, 5 sensor, LEL / % volume CH4 / O2 / H2S / CO base, choose battery option

Step 2 - Choose Battery Option

Add Battery Option letter below to the end of the Base Model part # and add price to the Base Model price.

- A Alkaline battery pack only
- B Alkaline and Li-Ion battery pack with 100-240 VAC Charger
- C Li-Ion battery pack only with 100-240 VAC charger (Alkaline battery pack not included)
- D Li-Ion battery pack only with 12 VDC charger (Alkaline battery pack not included)
- E Alkaline and Li-Ion battery pack with 12 VDC Charger
- F Li-Ion battery pack only with 100-240 VAC / 12 VDC Charger (Alkaline battery pack not included)
- G Alkaline and Li-Ion battery pack with 100-240 VAC / 12 VDC charger
- H Li-Ion battery pack only with no charger

Example: 72-0292-22-C is GX-2012, 4 sensors, LEL / O2 / H2S / CO, with 100-240 VAC charger and Li-Ion battery pack
(Alkaline battery pack is not included with this example)

Part#	Description
72-0292-22-C	GX-2012, 4 sensors, LEL / O2 / H2S / CO, with 100-240 VAC charger and Li-Ion battery pack

Instrument Price Includes

10' hose, probe, Operators Manual, and Product CD (contains Training Video, Parts List, Data logging software, Operators Manual, and Quick Reference Card). The battery and charger (if applicable) option selected above is also included.

Premier Portable Instruments

GX-2012 CSA Replacement Sensors

Part#	Description
ES-1821	Sensor, Carbon Monoxide (CO) for GX-2009/GX-2012/GX-6000/CO-03/GasWatch 2/Gas Tracer
ES-1827i	Sensor, Hydrogen Sulfide (H2S) for GX-2009/GX-2012/GX-6000/HS-03/GasWatch 2
NC-6264B	Sensor, CH4, for GX-2009 MSHA / GX-2012 CSA
OS-BM2	Sensor, Oxygen (O2) for GX-2009/GX-2012/GX-6000/GasWatch 2/OX-03/Gas Tracer
TE-7561	Sensor, TC, % volume, GX-2003/GX-2012/Gas Tracer

GX-2012 CSA Calibration Kits

Instrument #	Cal-Kit Part #	Cal-Kit Description
72-0292-08	81-GX03CO	Cal kit, GX-2003/GX-2012, 103L cyl CO/CH4/O2 in N2, dem flow reg, case & tubing
72-0292-10	81-GX03CO-DLV	Cal kit, GX-2003/GX-2012, 34L cyl CO/CH4/O2, dem flow reg, case & tubing
72-0292-12	81-GX03CO-LV	Cal kit, GX-2003/GX-2012, 34L cyl CO/CH4/O2 in N2, dispensing valve, gas bag, case & tubing
72-0292-17	81-GX03CO-LV	Cal kit, GX-2003/GX-2012, 34L cyl CO/CH4/O2 in N2, dispensing valve, gas bag, case & tubing
72-0292-09	81-GX03HSCO	Cal kit, GX-2003/GX-2012, 58AL cyl H2S (25 ppm)/CO/CH4/O2, dem flow reg, case & tubing
72-0292-16	81-GX03HSCO-DLV	Cal kit, GX-2003/GX-2012, 34AL cyl H2S (25 ppm)/CO/CH4/O2, dem flow reg, case & tubing
72-0292-22	81-GX03HSCO-LV	Cal kit, GX-2003/GX-2012, 34AL cyl H2S (25 ppm)/CO/CH4/O2, reg with gauge & knob, gas bag, case & tubing
72-0292-11	81-GX12VCO-DLV	Cal kit, GX-2012, 34L cyl CO/CH4/O2, 34L 50% vol CH4, dem flow reg, case & tubing
72-0292-18	81-GX12VCO-DLV	Cal kit, GX-2012, 34L cyl CO/CH4/O2, 34L 50% vol CH4, dem flow reg, case & tubing
72-0292-19	81-GX12VCO-DLV	Cal kit, GX-2012, 34L cyl CO/CH4/O2, 34L 50% vol CH4, dem flow reg, case & tubing
72-0292-23	81-GX12VCO-DLV	Cal kit, GX-2012, 34L cyl CO/CH4/O2, 34L 50% vol CH4, dem flow reg, case & tubing
72-0292-24	81-GX03VHSCO	Cal kit, GX-2003/GX-2012, 58AL cyl H2S (25 ppm)/CO/CH4/O2, 58L 100% vol. CH4, dem flow reg, case & tubing
72-0292-27	81-GX03VHSCO-LV	Cal kit, GX-2003/GX-2012, 34AL cyl H2S (25 ppm)/CO/CH4/O2, 58L cyl 100% vol. CH4, reg with gauge & knob, disp valve, gas bag, case & tubing
72-0292-27	81-GX03VHSCODLV	Cal kit, GX-2003/GX-2012, 34AL cyl H2S (25 ppm)/CO/CH4/O2, 58L cyl 100% vol. CH4, dem flow reg, case & tubing